# Biochemistory

11P/210/31

Set No: (1)	Question Booklet No
( To be filled up	e candidate by blue/black ball-point pen)
Roll No.	
Roll No. (Write the digits in words)	
Serial No. of Answer Sheet	
Day and Date	(Signature of Invigilator

#### INSTRUCTIONS TO CANDIDATES

(Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 10 minutes of the issue of the Question Booklet, check the Question Booklet to ensure that it contains all the pages in correct sequence and that no page/question is missing. In case of faulty Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and Roll No. and OMR sheet No. on the Question Booklet.
- 7. Any changes in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
- 8. Each question in this Booklet is followed by four alternative answers. For each question, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the Answer Sheet.
- For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit only OMR Answer Sheet at the end of the Test.
- You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

No. of Questions : 150 प्रश्नों की संख्या : 150

Tin	ne : 2 h	ours ]		[Full Ma	rks : 450
समय	T : 2 घण्टे	: ]		[ qg	र्गॉक : 450
Not	te:(1)	(Three ) mark	ts. One mark v	as you can. Each question vill be deducted for each e awarded for each una	incorrec
				यत्न करें । प्रत्येक प्रश्न <b>3</b> (तीन) <i>काटा जायेगा</i> । प्रत्येक अनुत्तरित प्रः	
	(2)		one alternative swer, choose the	answers seem to be appro- ne closest one.	ximate to
		यदि एकाधिक वैक दें।	ल्पिक उत्तर सही उत्त	ार के निकट प्रतीत हों, तो निकटत	म सही उत्तर
1.	Light v	waves projected	d on oil surface	shows seven colours due t	00
	(1) P	Polarization	(2)	Diffraction	
	(3) R	lefraction	(4)	Interference	
2.	Pyruva	ite is accumulat	ted by the defici	iency of	
	(1) V	itamin B <sub>1</sub>	(2)	Vitamin B <sub>2</sub>	
	(3) V	itamin B <sub>6</sub>	(4)	Vitamin B <sub>12</sub>	

3.	The common currency of energy in biological reaction is								
	(1) AMP (2) ATP	(3) ADP	(4) UDPG						
4.	Aerobic dehydrogenase has th	e prosthetic g	roup						
	(1) ATP (2) NAD+	(3) FAD+	(4) NADP+						
5.	The uncoupling agent of oxida	tive phospho	rylation is						
	(1) Barbiturates	(2) Penic	illin						
		(4) Dicor							
6.	An example of extracellular en	nzyme is:							
	(1) Glucokinase	(2) Hexo	kinase						
	(3) Glucose-6-phosphatase	(4) Pepsi	n						
7.	The end product of purine cat	abolism in oth	er mammals excep	t man is					
	(1) Uric Acid (3) Ammonia	(2) Allan	toin						
	(3) Ammonia	(4) Creat	inine						
8.	The most prominent causes of	f dehydration	is						
	(1) Excessive heat	(2) Low i	ntakes of water						
	(3) Frequent urination	(4) Diarr	hoea and vomiting						
9.	Zinc is a constitutes of								
	(1) Aldolase	(2) Amyl	ase						
	(3) Malate dehydrogenase	(4) Carbo	onic anhydrase						
		(2)		(Continued)					

10.		th of the following elemenrocytes?	nts is	required for the development of
	(1)	Calcium	(2)	Magnesium
	•	Iron		Potassium
11.	Crea	m from milk is separated w	/hen i	it is churned due to
	(1)	Viscous	(2)	Gravitational force
	(3)	Centrifugal force	(4)	Electrostatic force
12.	Elect	tro-volt is a unit of		
	(1)	Momentum	(2)	Energy
	(3)	Change	(4)	Velocity
13.	Perm	nanent hardness of water ca	annot	be removed by
	(1)	Boiling		
	(2)	Distillation		
	(3)	Passing through chlorine g	gas	
	(4)	adding sodium carbonate		
14.	Cam	phor can be easily purified	by	
	(1)	Distillation	(2)	Sublimation
	(3)	Crystallization	(4)	Solvent extraction
15.	The	most abundant halogen on	the e	arth's crust is
	(1)	Chlorine	(2)	Bromine
	(3)	Iodine	(4)	None of the above

(3) (Turn Over)

16.	Which of the following is used as anti-knocking substance?					
	(1) Tetramethyl lead	(2)	Tetraethyl lead			
	(3) Common salt	(4)	Alkyl magnesium halide			
17.	Alcoholic fermentation can be	broug	ht about by the action of			
	(1) Diatane (2) Oxygen	(3)	Yeast (4) Carbon dioxide			
18.	Wish of the following used as a	refri	gerant			
	(1) Ammonia	(2)	Ether			
	(3) Acetone	(4)	Nitrogen			
19.	The chemical substances presen	nt in t	oones and teeth is			
	(1) Calcium sulphate	(2)	Calcium phosphate			
	(3) Calcium borate	(4)	Calcium chloride			
20.	If any reaction to be thermodyna should be	amica	lly feasible the change in free energy			
	(1) Negative	(2)	Positive			
	(3) Zero	(4)	None of the above			
21.	If the pressure on the solution is increased, the solubility of ga		as in equilibrium with the gas itself be			
	(1) Decrease	(2)	Increase			
	(3) Remain the same	(4)	None of the above			

(4)

(Continued)

22.	When iron rusts its weight		
	(1) Increases	(2) Decreases	
	(3) Remains same	(4) None of the above	
23.	Which of the following is not a	natural polymer?	
	(1) Silk (2) Rubber	(3) Plastic (4) Cellulose	
24.	Dry ice at room temperature gi	ves	
	(1) Water	(2) CO <sub>2</sub> gas	
	<ul><li>(1) Water</li><li>(3) Salty water</li></ul>	(4) Liquid CO <sub>2</sub>	
25.	Radio carbon dating is used to	find the age of	
	(1) Building (2) Fossils	(3) Babies (4) Rocks	
26.	Artificial rain is produced by se	eeding clouds with	
	(1) Potassium iodide	(2) Silver iodide	
	(3) Silver nitrate		
27.	Hydrolysis of oils and fats by al	lkali is known as	
	(1) Hydroxylation	(2) Hydrolysis	
	(3) Saponification	(4) Esterification	
28.	Coloured glasses for goggles co	ontain	
	(1) Ferrous oxide	(2) Lanthanide oxide	
	(3) Nickel oxide	(4) Ferric oxide	
		(5)	(Turn Over)

29.	For welding the gas is used		
	(1) Methane	(2)	Ethane
	(3) Ethylene	(4)	Acetylene
30.	Malachite is the mineral of		
	(1) Copper	(2)	Iron
	(3) Calcium	(4)	Magnesium
31.	The drugs caffeine and nicotine	ате	
	(1) Steroids	(2)	Cortisones
	(3) Alkaloids	(4)	Mild alkali
32.	The particle that initiates fission	reac	ction is
	(1) Electron	(2)	Proton
	(3) Neutron	(4)	Positron
33.	Lithium shows diagonal relation	ship	with
	(1) Sodium	(2)	Magnesium
	(3) Berilium	(4)	None of these
34.	The molecules responsible for s	taring	g the genetic code are
	(1) Protein	(2)	Chromosomes
	(3) RNA	(4)	DNA
35.	Salk Vaccine is used against		
	(1) Polio	{2}	Small pox
	(3) Tuberculosis	(4)	Measles

(6) (Continued)

(Turn Over)

36.	The species become extinct most easily by				
	(1) Deforestation	(2)	Urbaniza	tion	
	(3) Sliding of hills	(4)	Heavy ra	iins	
37.	Rf value is related to				
	(1) TLC (2) CLC	(3)	IEC	(4)	GFC
38.	The techniques commonly used protein	l to e	stimate th	e cor	scentration of plasma
	(1) Double immunodiffusion				
	(2) Simple immunodiffusion				
	(3) ELISA				
	(4) None of the above				
39.	Nucleic acid strongly absorb UV	/ ligh	t at		
	(1) 250 nm (2) 260 nm	(3)	270 nm	(4)	300 nm
40.	A cosmid is a				
	(1) Circular DNA				
	(2) Plasmid with unique 'cos'	site			
	(3) Larger plasmid				
	(4) Smaller plasmid				
41.	Fuelgen staining is an identifyin	g fea	ture for		
	(1) Unicellular organisms	(2)	Chromos	some	s/DNA
	(3) Nucleus	(4)	Nucleolu	ıs	

(7)

42.	. Which of the following is a template dependent enzyme?					
	(1)	DNA polymerase	(2)	RNA polymerase		
		Oligonucleotidase				
43.	BOD	is a useful parameter to st	udy			
	(1)	Air pollution	(2)	Soil pollution		
	(3)	Water pollution	(4)	All of the above		
44.	Eutro	ofication is mainly caused t	у			
	(1)	Sulphates and Nitrates				
		Nitrites and Nitrates				
	-	Carbonates and Sulphates	,			
		Carbonates and Nitrates				
45.	Xeno	obiotics are				
	(1)	Natural compounds	(2)	Food materials		
	(3)	Protein	(4)	Non-naturally occurring		
46.	AZT	(Azidothymidine) is an				
	(1)	Biocatalyst	(2)	Antibiotics		
	(3)	Anti-AIDS drug	(4)	Anabolic hormone		
47.	Penic	cillin a potent antibiotic acts	s by c	destroying other organisms		
	(1)	DNA formation	(2)	Cell wall formation		
	(3)	Protein synthesis	(4)	RNA synthesis system		

(8) (Continued)

48.	Whi	ch of the following growth o	curve	is represented by bacterial cultures?
	(1)	S-Shaped	(2)	V-Shaped
	(3)	J-Shaped	(4)	Linear shaped
49.	Tran	isgenes are		
	(1)	Proteins	(2)	Transferable genes
	(3)	Foreign gene	(4)	Bacteriophage
50.	Poly	merase chain reaction (PC	R) wa	as invented by
	(1)	Werner Arber	(2)	Kary Mullius
	.(3)	Hamiltion Smith	(4)	Harbert Boyer
51.	A mo	etacentric chromosomes w	ill app	pear at anaphase as
	(1)	L Shaped	(2)	W-Shaped
	(3)	V-Shaped	(4)	Y-Shaped
52.	<b>A</b> n e	nergy funding pathway wh	ich is	resistant to cyanide is
	(1)	Kerb's		
	(2)	Glycolysis		
	(3)	Entner Duodoroff		
	(4)	Hexose monophosphate s	hunt	
53.	Most	abundant protein in biosp	here i	s
	(1)	Keratin	(2)	Glycoprotein
	(3)	Rubisco		None of above

54.	Which of the following is an energized nucleotide?					
	(1) GMP	(2) dCMP	(3)	dCTP	(4)	dAMP
55.	The percentag	e of mammalian	DNA	coding fo	r prot	ein is
	(1) 3% only	(2) 4% only	(3)	2% only	(4)	1% only
56.	Membrane bot	und ribosomes a	nd fre	e ribosom	nes dit	ffer
	(1) In the str	ructure				
	(2) In their f	unction				
	(3) In the type	pe of protein syn	thesis			
	(4) All of the	e above				
57.	Fidelity of tran	scription as con	npared	l to transi	ation	is
	(1) Lower					
	(2) Higher					
	(3) Equal					
	(4) Depend	on the pH of the	nucle	oplasm		
58.	The DNA inter	realating antibion	tics is			
	(1) Mitomyc	ein C	(2)	Actinom	ycin I	
	(3) Puromyo	cin	(4)	Polmyxii	n B	
50	The only noty	merase found in	nucla	due ie		
J).	rac omy poty	merase round III	HUCIC	MG2 12		
	(1) RNA Pol		• •	RNA Pol		
	(3) RNA Pol	III	(4)	RNA Pol	1&1	ŢĪ

60.	D. Type of DNA Exhibiting left handed helix is/are				
	(1) B type	(2) A & B type			
	(3) B & Z type	(4) Zonly			
61.	NADP is				
	(1) An enzyme	(2) A part of S-RNA			
	(3) A Coenzyme	(4) A part of t-RNA			
62.	Most of the enzyme secrete	d by cells are			
	(1) Rich in lipoproteins	(2) Stored			
	(3) Active	(4) Inactive			
63.	Abzymes are				
	(1) Hydrolases	(2) Antigen			
	(3) Antibody	(4) Proteases			
64.	An inhibitor and the enzyme	usually bind by			
	(1) Electrostatic bond	(2) Tandons force			
	(3) Covalent bond	(4) van der Waals' forces			
65.	Animals with ant eating habb	oits are called			
	(1) Omnivorous	(2) Carnivorous			
	(3) Herbivorous	(4) Myrmecophagous			
66.	Which type of cells are called	d neuroglial cells			
	(1) Microglia	(2) Oligodendroglia			
	(3) Asteocytes	(4) All of the above			
		( 11 )	(Turn Over)		

67.	The	sex linked genes are prese	nt in significant way on			
	(1)	X chromosomes				
	(2)	Y chromosomes				
	(3)	Autosomes				
	(4)	Homologous chromosom	es			
68.	Hear	t is made of				
	(1)	Cardiac muscles				
	(2)	Longitudinal muscles				
	(3)	Horizontal muscles				
	(4)	Connective muscles				
69.	Excr	ction deals mainly with the	disposal of			
	(1)	Dead haemoglobin				
	(2)	2) Fatty materials				
	(3)	Carbhohydrate material				
	(4)	Nitrogenous materials				
70.	Horn	nones are destroyed mainly	y in			
	(1)	Liver	(2) Heart			
	(3)	Stomach	(4) Intestine			
71.	Placia	ng of sperm artificially nea	r uterus is called			
	(1)	Artificial Insemination				
	(2)	Artificial fertilization				
	{3}	Artificial embryo develop	ment			
	(4)	Parthenogenesis				

(Continued)

		Chile	(2)	Chyma
		Chile		Chyme Casain balus
ι.	<i>5</i>	Alkaline	(4)	Casein bolus
73. O	ptic	chaisma is formed by	the func	tion of two
{	1)	Olfactory nerves	(2)	Oculomotor nerves
( :	3)	Trochleas nerves	(4)	Optic nerves
<b>74.</b> Th	he c	cones of retina eye are		
(	1)	Sensitive to coloured	light only	,
( )	2)	Sensitive to colourles	s light on	ly
(	3)	Sensitive to both whit	e and col	oured light
1	4.1	Active in strong light:	وتمعمم أمس	
75. Tł	he r	nost polluted city in th	ie world i	s
75. Th	he r		e world i	
75. Th	he r 1) 3)	nost polluted city in th Los Angeles	(2) (4)	s Delhi London
75. Th	he r 1) 3) he p	nost polluted city in th Los Angeles Paris	(2) (4)	s Delhi London
75. Th	he r 1) 3) he p	nost polluted city in th Los Angeles Paris possible beneficial effe	e world i (2) (4) ct of the	Delhi London
75. Th	he r 1) 3) he p 1)	nost polluted city in the Los Angeles Paris  possible beneficial effeteradication of seeds	(2) (4) ct of the	s Delhi London
75. Th	he r 1) 3) he p 1) 2)	nost polluted city in the Los Angeles Paris  Possible beneficial effe Eradication of seeds  Removal of wild plant	(2) (4) ct of the	s  Delhi  London  grazing of animals is
75. Th	he r 1) 3) he p 1) 2) 3)	nost polluted city in the Los Angeles Paris  Possible beneficial effe Eradication of seeds Removal of wild plant Removal of wild anim	(2) (4) ct of the als eta in the	s  Delhi  London  grazing of animals is
75. Th	he r 1) 3) he p 1) 2) 3) 4)	nost polluted city in the Los Angeles Paris  cossible beneficial effeteradication of seeds Removal of wild plant Removal of wild animal Addition of their excrements	(2) (4) ct of the als eta in the	s  Delhi  London  grazing of animals is
75. Th	he r 1) 3) he p 1) 2) 3) 4)	nost polluted city in the Los Angeles Paris  Possible beneficial effeteradication of seeds Removal of wild plant Removal of wild anim Addition of their excrems involve two organis	(2) (4) ct of the als eta in the	s  Delhi  London  grazing of animals is
75. Th	he r 1) 3) he p 1) 2) 3) 4) che 1)	nost polluted city in the Los Angeles Paris  cossible beneficial effects Eradication of seeds Removal of wild plant Removal of wild anim Addition of their excreme involve two organic	(2) (4) ct of the als eta in the	s  Delhi  London  grazing of animals is

(-13-) (Turn Over)

<b>78.</b>	Phospholipid synthesis occurs					
	(1) Cytosolic ribosome	(2) Rough ER				
	(3) Smooth ER	(4) Golgi body				
79.	Cardiolipin is a membrane lipid	can be seen in				
	(1) Mitochondria	(2) Chloroplast				
	(3) Bacteria	(4) All of the above				
80.	Glycosylation of Protein occurs	in				
	(1) Golgi body	(2) Mitochondria				
	(3) Endoplasmic reticulum	(4) All of the above				
81.	Beta oxidation pathway of fatty	acid oxidation resembles				
	(1) Kreb's cycle	(2) Glycolysis				
	(3) ETS	(4) Calvin cycle				
82.	Glycine is unique in the sense					
	(1) It is an uncreative amino a	cid				
	(2) It is optically active					
	(3) It is optically inactive					
	(4) It has aromatic side chain					
83.	The amino acid found in the act	ive site of enzyme is				
	(1) Methionine	(2) Lysine				
	(3) Arginine	(4) Histidine				

84.	Which of the following are natural antiseptic substances of our body?					
	(1)	Urine	(2)	Blood		
	(3)	Mucus and tears	(4)	All of the above		
85.	Oste	oporosis is				
	(1)	Weakening of Bones	(2)	Weakening of Gums		
	(3)	Weakening of Muscles	(4)	Weakening of Teeth		
86.	Gel f	iltration chromatography s	epara	ites protein on the basis of		
	<b>(I)</b>	Charge	(2)	Size		
	(3)	Mass	(4)	Structure		
87.	The	unique feature of enzyme T	Taq P	olymerase used in PCR is		
	(1)	High speed	(2)	High fidelity		
	(3)	High thermal stability	(4)	Low thermal stability		
88.	Iso e	lectric point is a point at wi	hich			
	(1)	The mass of protein is ma	ximu	m		
		The net charge of protein				
		The speed of mobility is n		um		
	(4)	The protein loses structur	e			
89.	Anti	bodies are produced agains	st self	RBC membrane protein is		
	(1)	Addison's disease				
		Autoimmune hemolytic ar	emia			
		Leukemia				
	(4)	Myocardial infraction				

( 15 ) (Turn Over)

96.	Main fun	ection	of Peyer's p	patches	is				
	(2) To (3) To	absor manu	in digestion b food ifacture RB0 ifacture WB	C	ein	I			
97.	The prot	ein ar	e constitute	d by					
	(2) Da (3) La	mino mino	z D aminoac acid only acid only on the type		cir	1			
98.	Proteins -	conta	in Regulator	ry sites	cal	lled			
	(1) Fol- (3) Cle	_	ites			Comp Allost		nentary site	s
99.	The trans	sport	by channel į	proteiñ i	İs				
	(1) Act (3) Bot				-	Passiv None	/e		
100.	Which o	of the	following io	n is imp	ю	tant fo	r t - I	RNA stabili	zation?
	(1) Mn <sup>+</sup>	+	(2) Mg**	( )	3)	Cl		(4) Na+	
101.	Pribnow	Box	(TATAAT)	found in	ı a	.11			
	(1) Proi (3) Euk					Repres Prokai		rs tic promote	rs
				( 17	, ,				(Turn Over)

102. The	102. The most abundant type of RNA in the cell pool is					
(1)	rRNA	(2)	mRNA			
(3)	tRNA	(4)	All are found in equal ratios			
<b>103.</b> Pro	teins at the time of degrad	ation	becomes joined to			
(1)	Clathrin	(2)	Peptidase			
(3)	Ubiquitin	(4)	SRP			
104. The	guanidino group is found	in				
(1)	Tryptophan	(2)	Leucine			
(3)	RNA/DNA	(4)	Arginine			
	ich of the following is no ecule would need to be a t		essential attribute that a biological genetic material?			
(1)	It must carry all of the ir organization and metaboli		ation needed to direct the specific vities of the cell			
(2)	It must replicate accurate precisely inherited by the		that the information it contains is nter cells			
(3)	It must have highly repetit	ive D	NA sequences			
(4)	All are essential attributes	of us	eful genetic material.			
of I	<del>"</del>	terial	which offered evidence in support in bacteriophage made use of the			
	Phosphorous and sulfur					
·	Nitrogen and oxygen					
•	Tritium					
(4)	(4) Hydrogen					

107. Penta peptide has	
(1) 5 peptide bond	(2) 4 peptide bond
(3) 4 amino acids	(4) 2 & 3 both
108. A 1mM aqueous HCL solu solution would be approximately	tion is diluted 1000 times. The pH of the ately
(1) 8 (2) 7	(3) 6 (4) 5
109. Which one of the following DNA?	vector can carry the longest piece of foreign
(1) Plasmids	(2) Cosmids
(3) Bacteriophage	(4) Yeast artificial chromosome
110. A common target for antibio	tics in bacteria is
(1) Microsomes	(2) Mesosomes
(3) Ribosomes	(4) Non of the above
111. Degeneracy of the genetic co	ode means that
(1) A given base triplet can	code for more than one amino acid
(2) There is no punctuation	
(3) The third base in a code	<del>-</del>
	be coded by more than one base triplet
112. Which is not the constituent	of biomembrane?
(1) Sphingolipids	(2) Phospholipids
(3) Glycolipid	(4) Triglyceride

113.		icancer drug, vincristine kemia are obtained from	& vi	nblastin used in the treatment of
		Rauwolfia canescens Catharanthus roseaus		Rauwolfia serpentina Azhadirachtu indica
114.		ich of the following does n body complex?	ot pa	rticipate in the formation of antigen
	(1)	Hydrophobic bonds	(2)	Covalent bonds
		Hydrogen bonds		
115.	Imn	nunoglobulins are proteins	that	exhibit
	<b>(1)</b>	Primary structure	(2)	Secondary structure
	(3)	Tertiary structure	(4)	Quaternary structure
116.	The	site of metabolism of xeno	bioti	c in animal is
	(1)	Brain	(2)	Liver
	(3)	Kidney	(4)	Heart
117.	The	lagging strand is character	ized	by
	(1)	Aconstent supply of RNA	prime	er .
	(2)	Discontinuous synthesis o	f new	strand
		Replication of DNA in 5'-	- 3' d	irection
	(4)	All of the above		
118.	The	separation of two DNA str	and f	or replication is brought about by
	(1)	DNA pol III	(2)	DNA helicase
	(3)	DNA pol I	(4)	DNA ligase

119. The codon of mRNA and pairing	anticodon of tRNA recognise each other by
(1) 5'3' of mRNA with	
(2) 3'5' of mRNA with	
(3) 5'3' of mRNA with	
(4) In any of the above ma	anner
120. Frame shift mutations are	characterized by
	f one or more base pairs in DNA
(2) Insertion of one or mo	
(3) Deletion of one or mo	
(4) Replacement of purine	by pyrimidine or vice-versa
121. Which is not a fibrous prot	ein?
(1) IgG (2) Wool	(3) Silk (4) Collagen
122. The precursors of oligosacc	charide residues in glycoproteins are
(1) Amino sugars	(2) Nucleotide sugars
(3) Glycoproteins	(4) Hexoamine
123. The tertiary structure of a p	protein refers to the
(1) Three-dimensional fold	ling of the molecule
(2) Sequence of the amino	
(3) Presence of alpha-helic	
(4) Interaction of one prote	
•	

#### 124. Denaturation of double stranded DNA

- (1) Involves its separation into single strands
- (2) Tends to occur more readily as the temperature of the DNA solution is decreased
- (3) Results in decrease in the absorption of light at 260 nm by the DNA solution
- (4) Cannot be reversed even if the salt concentration and the temperature of solution are adjusted appropriately

#### 125. Cellular DNA replication

- (1) Is known as transcription
- (2) Requires the DNA double helix to be unwound
- (3) Occurs in the 3' to 5' direction
- (4) Employs an enzyme called DNA ligase

## 126. Repair of damaged DNA

- (1) Can occur spontaneously because of the nature of the chemical bonds in DNA
- (2) Can occur during normal replication of DNA
- (3) Is not amenable to genetic analysis
- (4) May not require enzymatic reaction

## 127. Transport of mRNA from the nucleus to the cytoplasm

- (1) Involves passage through nuclear pores
- (2) Is linked to translation of the protein encoded by the mRNA
- (3) Is in the 3' to 5' direction
- (4) Occurs with the spliceosomes bound to mRNA

(22)

128.	A protein molecule binds a drug at two different sites. The method to evaluate the two binding constants and whether binding at one site influences binding at the other is by generating a							
		Linewez Arrhenii	iver-Burk plot us plot		Scatchar None of	-		
129.	His but	blood is a much	velops vomiting a found to have a le higher concentrate for galactose. Wh	ow co	oncentrati of reducir	ion of ng sug	glucose the gars. The u	an normal rine gives
	(1)	Low Fat	diet	(2)	Low lact	ose d	liet	
	(3)	Low pro	tein diet	(4)	Low glue	cose o	diet	
130.	can	ino acid be unc ironment	that most often o harged or positi	ccurs vely	at the ac	ctive s depe	sites of enz ending on	ymes and its' local
	(1)	R	(2) H	(3)	K	(4)	D	
131.	α-C 10-8	COOH, α- B, respect	amino acid with amino and e-ami ively. The isoelec	no gr	oups with	pKa	values of 2.	e are the 2, 9.2 and
	(1)	5.7	(2) 6.5	(3)	9.2	(4)	10.0	
	(1) (2) (3)	Inclusion CNBr act Polyfunc	on of enzymes usin microcapsules tivation of sephare tional reagent like of polyvinyl alco	ose hexa				S
			(	23 )				(Turn Over)

133.	Thi by	reonine deaminase is crucia Isoleucine through feedbac	al enz k inh	nine via 5 step metabolic pathway.  Tyme which is allosterically regulated libition. If substrate saturation curve ine are compared, one can find that
	(1)	The substrate saturation of	urve	will be sigmoid and will shift to right
		in presence of isoleucine.		
	(2)	The substrate saturation of	curve	will be sigmoid and will shift to left
		in presence of isoleucine		
	(3)	The substrate saturation of	curve	will be linear and will shift to right
•		in presence of isoleucine		
	(4)	The substrate saturation	curve	will be linear and will shift to left
		in presence of isoleucine		
134.	Wh	ich enzyme is not involved	as bi	osensor?
	(1)	Glucose oxidase	(2)	Urease
	(3)	Alcohal oxidase	(4)	Amylase
135.	Wh	ich one of the following is	form	ed element of blood?
	(1)	Erythrocytes	(2)	Leucocytes
	(3)	Thrombocytes	(4)	All of these
136.	Blo	od is classified into four m	ain gr	roups on the basis of the nature of?
	(1)	Erythrocyte	(2)	Leucocyte
	(3)	Thrombocyte	(4)	All of the above
137.	Wh	ich is not the biofuel?		
	(1)	Bioethanol	(2)	Biodissel
		Biohydrogen	• ′	Biocompost
				•

(1)	SDS	(2) A	Alkali		
(3)	Acid	(4) β	3-mercaptoeth	anol	
	e of the following spectrose I structure of the macromo	<del>-</del> .		sed to determine the	
(1)	Infra red	(2) X	K-ray diffraction	on	
(3)	NMR	(4) L	Iltraviolet		
140. DN	A is present in the form of	nucleo	somes in		
(1)	An eukaryotic cell	(2) A	A yeast cell		
(3)	Virus	(4) B	Bacteria		
bac	e mechanisms regulating the teriophage lamda have be he following statements are	en desc	cribed as 'gen	etic switch'. Which	
(1)	The cl and cro genes are t	transcril	bed in opposit	te directions	
(2)	The mRNAs encoding classame strand of DNA as te		protein are sy	onthesized using the	
(3)	(3) Synthesis of cl is not stimulated by its binding to $O_R 1$ and $O_R 2$				
(4)	(4) Of the three $O_R$ sites in the lambda genome, cl has greatest affinity				
	for O <sub>R</sub> 1				
	ouble stranded DNA mole following number of turns		ith 6390 base	pairs long will have	
(1)	639 (2) 63.9	(3) 6	5-39 (4)	1.95	
		( 25 )		(Turn Over)	

138. In protein disulphide bond can be cleaved by

#### 143. Eukaryotic DNA

- (1) Takes part directly in protein synthesis by coming out of the nucleus
- (2) Takes part indirectly in protein synthesis, the DNA itself stays in the nucleus
- (3) Has nothing to do with protein synthesis but involves in replication
- (4) Is involved in protein synthesis that takes place in the nucleus
- 144. Which one of the following is essential for bacteria for DNA repair and recombination?
  - (1) DNA E protein
  - (2) Rec A protein
  - (3) Thymidine kinase
  - (4) Chaperone proteins
- 145. The lac repressor
  - (1) Is a DNA binding protein
  - (2) Is induced by exposure of a bacterial cell to lactose
  - (3) Uses the same promoter as the lac Z gene
  - (4) Can from alternative stem-loop structures
- 146. DNA synthesis begins at a
  - (1) Single location in the adenovirus genome
  - (2) Single location in E. coli
  - (3) Single location in yeast
  - (4) Site that is G-C rich in E. coli

147. The enzyme lysozyme is a	used in the treatment of
(1) Coronary diseases	(2) Liver diseases
(3) Leukaemia	(4) Eye diseases
148. The group transferring co	enzyme is
(1) DPN	(2) TPN
(3) FAD+	(4) CoA
149. The absorption of glucose	is interfered by the deficiency of
(1) Vitamin A	(2) Thiamine
(3) Mg <sup>++</sup>	(4) Fe <sup>++</sup>
150. Which of the hormones de	ecreased blood sugar level?
(1) Glucagon	(2) Epinephrine
(3) Glucocorticoids	(4) Insulin

# अभ्यर्थियों के लिए निर्देश

(इस पुस्तिका के प्रथम आवरण-पृष्ठ पर तथा उत्तर-पत्र के दोनों पृष्ठों पर केवल *नीली/काली बाल-प्वाइंट पेन* से ही लिखें)

- प्रश्न पुस्तिका मिलने के 10 मिनट के अन्दर ही देख ले कि प्रश्नपत्र में सभी पृष्ठ मौजूद है और कोई प्रश्न छूटा नहीं है। पुस्तिका दोषयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष निरीक्षक को देकर सम्पूर्ण प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें।
- 2. परीक्षा भवन में *लिफाफा रहित प्रवेश-पत्र के अतिरिक्त*, लिखा या सादा कोई भी खुला कारज साथ में न लायें।
- उत्तर-पत्र अलग से दिया गया है। इसे न तो मोड़ें और न ही विकृत करें। दूसरा उत्तर-पत्र नहीं दिया जायेगा।
   केवल उत्तर-पत्र का ही मूल्यांकन किया जायेगा।
- 4. अपना अनुक्रमांक तथा उत्तर-पत्र का क्रमांक प्रथम आवरण-पृष्ठ पर पेन से निर्धारित स्थान पर लिखें।
- 5. उत्तर-पत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये वृत्तों को गाढ़ा कर दें। जहाँ-जहाँ आवश्यक हो वहाँ प्रश्न-पुस्तिका का क्रमांक तथा सेट का नम्बर उचित स्थानों पर लिखें।
- 6. ओ॰ एम॰ आर॰ पत्र पर अनुक्रमांक संख्या, प्रश्न-पुस्तिका संख्या व सेट संख्या (यदि कोई हो) तथा प्रश्न-पुस्तिका पर अनुक्रमांक संख्या और ओ॰ एम॰ आर॰ पत्र संख्या की प्रविष्टियों में उपरिलेखन की अनुमित नहीं है।
- 6. उपर्युक्त प्रविष्टियों में कोई भी परिवर्तन कक्ष निरीक्षक द्वारा प्रमाणित होना चाहिये अन्यथा यह एक अनुवित साधन का प्रयोग माना जायेगा।
- 7. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार वैकल्पिक उत्तर दिये गये हैं। प्रत्येक प्रश्न के वैकल्पिक उत्तर के लिये आपको उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रथम पृष्ठ पर दिये गये निर्देशों के अनुसार पेन से गाइा करना है।
- 9. प्रत्येक प्रश्न के उत्तर के लिये केवल एक ही वृत्त को गाढ़ा करें। एक से अधिक वृत्तों को गाढ़ा करने पर अधवा एक वृत्त को अपूर्ण भरने पर वह उत्तर गलत माना जायेगा।
- 10. ध्यान दें कि एक बार स्याही द्वारा अंकित उत्तर बदला नहीं जा सकता है। यदि आप किसी प्रश्न का उत्तर नहीं देना चाहते हैं, तो सम्बन्धित पंक्ति के सामने दिये गये सभी वृत्तों को खाली छोड़ दें। ऐसे प्रश्नों पर शून्य अंक दिये जायेंगे।
- 11 रफ कार्य के लिये इस पुस्तिका के मुखपृष्ठ के अंदर वाला पृष्ठ तथा अंतिम खाली पृष्ठ का प्रयोग करें।
- 12. परीक्षा के उपरान्त् केवल ओः एमः आरः उत्तर-पत्र परीक्षा भवन में जमा करें।
- परीक्षा समाप्त होने से पहले परीक्षा भवन से बाहर जाने की अनुमित नहीं होगी।
- 14. यदि कोई अभ्यर्थी परीक्षा में अनुचित साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारित दंड का/की भागी होगा / होगी।