Set No. 1

Question Booklet No. (188)

## 14P/292/30

						٠. ٠			
	(To t	e filled	up by the	candida	e by blue	black bal	l-point pe	n)	
Mail No.			•			<u> </u>		•	
Rell No. (	Write	the digit	ts in word	is)					••••••
Serial No.	of OM	IR Answ	ver Sheet	••••••••		••••••			
Day and I	Date	•••••	•••••••	••••••	••••••	·····	( Sign	ature of Invi	gilator )

#### **INSTRUCTIONS TO CANDIDATES**

(Use early black ball-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 16 minutes of the issue of the Question Booklet, check the Question Booklet to ensure that it contains at the pages in correct sequence and that no page/question is missing. In case of faulty Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space prvided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet no. and Set no. (if any) on OMR sheet and Roll No. and OMR sheet no. on the Question Booklet.
- 7. Any change in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as unfairmeans.
- 8. Each question in this Booklet is followed by four alternative answers. For each question, you are to record the borrect option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the Answer Sheet.
- 9. For each question, transcent only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit only Oblit Languer Sheet at the end of the Test.
- 13. You ground correction to brave the Examination Hall until the good of the Bint.
- 14. Manuficial intended to use any form of unfair means, he/she shall be the proceedings included the shall be the shall b

Total No. of Printed Pages: 32

। उपर्युक्त निर्देश हिन्दी में क्षेत्रिक कार्या किया कर हैं।

# ROUGH WORK एक कार्य

No. of Questions: 150

Time:  $2\frac{1}{2}$  Hours

Full Marks: 450

- Note: (1) Attempt as many questions as you can. Each question carries 3 (Three) marks. One mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question.
  - (2) If more than one alternative answers seem to be approximate to the correct answer, choose the closest one.
- 01. Biochemical oxygen demand (BOD) of the medium depends on
  - (1) Amount of micronutrients present in the medium
  - (2) Amount of microbial load present in the medium
  - (3) Amount of organic matter present in the medium
  - (4) Amount of oxygen dissolved in the medium
- **02.** In transgenic B.t. cotton, the product of incorporated bacterial gene is
  - (1) Theta exotoxin
- (2) Beta exotoxin
- (3) Delta exotoxin
- (4) Delta endotoxin
- 03. Which of the following statement about fungi is false
  - (1) They are all heterotrophs
  - (2) They contain membrane bond nucleus
  - (3) They require organic molecules for energy source
  - (4) They fix atmospheric nitrogen

04.	In 'Aaquaguard' used for purification of water, the microbes are					
		ed under ultraviolet radiations				
	(1)	Dimerization of nitrogen bas				
	(2) Breakage of peptide bonds in the microbial proteins					
	(3)	Generation of free radicals in	the	water		
	(4)	Destruction of organic matte	r in v	vater.		
05.	Mus	shroom is a:				
	(1)	Lichen	(2)	Plant		
	(3)	Alga	(4)	Fungus		
06.	ъ	O' is the term used to refer:				
	(1)	Gene map of organism				
	(2)	Gene manipulation and opti	mizat	tion		
	(3)	Genetically modified organis				
	(4)	Genetic marker of organism				
07.	Nati	ural microflora is used in the	prepa	ration of:		
	(1)	Curd	(2)	Tempeh		
	(3)	Idli 🗸	(4)	Beer		
			( ' /	•		
08.	An e	example of primary producer of	rgan	ism is:		
	(1)	Amoeba	(2)	Plasmodium		
	(3)	Escherichia	(4)	Spirulina.		
			. ,	); ;		
09.	In a	continuous culture of bacteri	um, 1	the organism is maintained		
	in:			***		
	(1)	Lag phase	(2)	Log phase		
	(3)	Stationary phase	(4)	Decline phase		
		4				

10.	The	e total carbon content of growing continuously	the mediu	m in which aerobic bacterium
	(1)	Increases		
	(2)	Decreases '		
	(3)	Remains constant		
	(4)	First increases and the	en decrease	es .
11.	Am	ong waters from differen	t sources,	maximum BOD is shown by
	(1)	Municipal sevage	(2)	Drinking water
	(3)	Distilled water	(4)	River water
12.	Wh the	ich of the following will i fermentation medium b	ncrease the	e dissolved oxygen content of
	(1)			
	(2)	Reduced size of the air	bubbles	
	(3)	Increased revolutions of	of the impel	llor
	(4)	All the above		
13.		relationship between gr terium is	owth rate a	and generation time of a
	(1)	Inverse	(2)	Direct
	(3)	Unrelated	(4)	Proportionl
14.	gluc			the medium containing both
	(1)	Glucose will be utilized	first and la	actose thereafter
	(2)	Lactose will be utilized	first and gl	ucose thereafter
	(3)	Both will be simultaned	ously utilize	ed
	(4)	The one having higher	conecentra	tion will be utilized first.
		•.	5	P.T.O.

15.	Which among the following media will actually favor the growth of certain organisms while suppressing the growth of others?				
	(1)	Differential medium	(2)	Synthetic medium	
	(3)	Natural medium	(4)	Selective medium	
16.	Whi	ch of the following bacteria sh n-methylenc blue agar plate?	iows	green metallic sheen on an	
	(1)	Gram negative enteric	(2)	Gram positive enteric	
	(3)	Gram positive	(4)	Gram negative	
17.		which of the following medium te when biochemical reaction of	occur	s?	
	(1)	Differential medium VK	(2)	Complex medium	
	(3)	Synthetic medium	(4)	Selective medium ?	
18.	The	organism used for bioassay of	f anti	biotic is:	
	(1)	Sensitive to that antibiotic			
	(2)	Resistant to that antibiotic			
	(3)	A mutant that degrades anti-	biotic	:	
	(4)	The one that synthesizes that	t ant	ibiotic	
19.	Myc	coparasitic fungus used for cor	ntrol	of fungal pest is:	
	(1)	Rhozpctonia solani			
	(2)	Troichoderma viride			
	(3)	Aspergillus niger			
	(4)	Aspergillus flavus.			
20.	Sodium thioglycolate is incorporated into nutrient medium for the growth of which one of the following groups?				
	(1)	Aerobic bacteria	(2)	Anaerobic bacteria	
	(3)	Halophilic bacteria	(4)	Theromphilic bacteria	
				1	
		6			

21.	Res	sistance to antibiotics in the ba	acteri	a is carried in the:
	(1)	Introns	(2)	Exon
	(3)	Plasmid	(4)	Heteromere.
22.	The pop	characteristic that does not a	affect on is:	the death rate of microbial
	(1)	Initial population of microbe		
	(2)	Exposure time to adverse con	nditio	on
	(3)	Susceptibility of organism to	adve	rse condition
	(4)			
23.	in a	refrigerator, the spoilage of fo	od is	prevented because:
	(1)	The associated microbes are		-
	(2)	The microbial activity is arres	sted	
	(3)	Food is stored at lower tempor	eratu	re
	(4)	No light is available in the cle	osed i	refrigerator.
24.		istance to beta-lactam antibiot acity to synthesize an enzyme	ics ir	bacteria is due to the
	(1)	Penicillinase	(2)	Penicillin acylase
	(3)	Penicillin amidase	(4)	Penicilloic acid.
25.		he center of composting pit, the	e sur	viving microbial population
	(1)	Psychrophiles	(2)	<b>Mes</b> ophiles
	(3)	Thermophiles	(4)	Halophiles
26)	During the production of semisynthetic penicillin, an enzyme required for breakdown of 6-amino-penicillanic acid moity benzyl penicillin is:			
	(1).	Penicillinase	(2)	Penicillin acylase / k.
	(3)	Aromatase	(4)	Penicilia kinase.
		7		P.T.O

27.		process that reduces the num simate object until they no longed:		
	(1)	Sterilization	(2)	Disinfection
	(3)	Antisepsis .	(4)	Decimal reduction
28.		ch of the following best descri n exposed to an antimicrobial		
	(1)	It depends on the species		
	(2)	It depends on the antimicrob	ial a	gent.
	(3)	The cells all die at once		
	(4)	The cells in a population die	expo	onentially.
29		ch of the following physical tre		_
	(1)	Ultraviolet light	(2)	Gamma ray irradiation 🗸 🔍
	(3)	Microwave irradiation	(4)	Heat
30.	Whi	ch of the following would be the	ne fa	stest way to kill endospores?
	(1)	Autoclave at 121 degrees Cel	cius	
	(2)	Tincture of soap		
	(3)	•	Celcit	18
	(4)	Chlorox solution		2
31.		time it takes to kill 90% of a period conditions is defined as	юpul	
	(1)	Generation time		1 '
	(2)	Thermal death time		
	(3)	Decimal reduction time		
	(4)	Half life time		

<b>32</b> .	Wh	ich one of the following is a	a fungal	sexual spore?
	(1)	Basidiospore	(2)	Blastospore
	(3)	Chlamydospore	(4)	Conidiospore
33.	The	exotoxin produced by Clos	stridium	botulinum is due to:
	(1)	Lytic infection	(2)	Virulent infection
	(3)	Lysogenic conversion	(4)	Transduction
34)	Infe	ctions acquired in a hospit	al are ca	lled as
	(1)	Critical infection		
	(2)	Fastidious infections		
	(3)	Nosocomial infections 2		
	(4)	Opportunistic infections		
35.	Wite	ch of the following diseases	are cau	sed by bacteria?
	(1)	Pneumonia, Tetanus and	Diabetes	3 <b>X</b>
	(2)	Pneumonia, Tetanus and	Scurvy >	(
	(3)	Typhoid, Measles and Che	olera 🗙	
	( <del>4)</del>	Typhoid, Pneumonia and	Tubercu	losis 🗸
	_			
36.		n stream processing is bes		(
	(1)	Procedure adopted to the	•	•
	(2)			e to an industrial process
	(3)	Removal of broth from fer		
	(4)	Flow of medium from high	ner to lov	ver level.
37.		hemical oxygen demand o	f the me	dium is directly proportional
	to			
	(1)	The number of microorgan	_	•
	(2)	Amount of oxygen dissolv		
	(3)	Amount of organic matter		
	(4)	Amount of micronutrients	present	• • •
				(,

38.	In t	ransgenic B.t. cotton, the prod	luct o	of incorporated bacterial gene
	(1)	Theta-exotoxin	(2)	Beta-exotoxin
	(3)	Delta-exotoxin	(4)	Delta-endotoxin
39.		coparasitic fungus used for th	e con	trol of fungal pests on crop
	(1)	Rhizoctonia solani	(2)	Trichoderma viride
	(3)	Aspergillus flavus	(4)	Rhizopus niger
40.		quantitative estimation of tota owing is an appropriate metho		bacteria, which of the
	(1)	Serial dilution and plating		
	(2)	Direct plating		
	(3)	Enrichment culture plating		
	(4)	Direct counting of bascteria	unde	r microscope
41.	Whi	ch of the following antibiotic h	as a	beta-lactam ring?
	(1)	Cephalosporin	(2)	Polymyxin
	(3)	Streptomyci	(4)	Bacitracin
42)		en purged in water, which of the		
	(1)	Bubbles having diameter of 1	mili	meter / way
	(2)	Bubbles having diameter of 2	2 mili	meter
	(3)	Bubbles having diameter of 3	3 mili	meter
	(4)	Bubbles having diameter of 4	mili	meter
43	Whi	ch of the following technique	gives	a viable count?
•	(1)	Most probable number 🗸		
	(2)	Direct microscopic count		
	(3)	Turbidometry		
	(4)	Dry weight determination		
		10		

~				
44)	Sod	ium thioglycollate is incorpora	ited i	into nutrient medium for the
	(1)	Aerobic bacteria	-	Anaerobic bacteria ~ K
	(3)	Halophilic bacteria	(4)	
45.	Laci	tobacilli contribute to food pro-	ducti	ion by
	(1)	Altering flavour		
	(2)	Enhancing nutrient value		
	(3)	Reducing contamination and	reta	rding spoilage
	(4)	All the above		<b>.</b> .
46.	pres	re are three basic tests to delect sumptive, confirmed and comp se tests except		•
	(1)	They are performed sequentia	ally	
	(2)	They detect lactose fermentat	ion t	by acid and gas production
	(3)	They use MPN method		
	(4)	They determine the dry cell w	eigh	t of coliforms in the sample
47.		ch of the following biological p nuated organisms?	repa	rations contain viable
	(1)	B.C.G. vaccine	(2)	Diphtheria antitoxin
	(3)	Titanus antitoxin	(4)	Old tuberculin
48.	A ca	usative agent of ringworm is		
	(1)	Trichophyton rubrum √K	(2)	Blastomyces dermatitidis
	(3)	Candida albicans	(4)	Sporothrix schenckii
49.		ch of the following characteris udomonads and Escherichia o		common to both
	(1)	They both produce endospore	es	
	(2)	They are both Gram negative	rods	ı
	(3)	They are both enteric bacteria	а	
	(4)	They are both strict anaerobe	:s	

50.	virı		-	ll is lysed. This stage of viral
	•	lication is called as		
	(1) (2)	Latent periodal		
	(3)			
	(4)	Lysis		
<b>E</b> 1	Wh	ich of the following statem	ent abou	t funci is <i>false</i> ?
31.	(1)	ich of the following staten  They are heterotrophs	iem abou	ic lungs is jaiser
	(2)	Their cell wall is compos	ed of chi	in.
	(3)	-		
	(4)	•	indiane o	ound nucleus
	(+)	They are decomposers		
<b>52</b> .	Wh	ich of the following is an a	isexual si	oore?
	(1)	Basidiospore	(2)	Ascospore
	(3)	Zygospore	(4)	Conidia
53.		ich of the following charac		rould <b>not</b> be important for an
	(1)	Fast growth rate		
	(2)	Genetic stability		•
	(3)	Amenability to genetic n	nanipulat	ion
	(4)	Must be a prokaryote		
54.	The of w	production of secondary thich of the microbial grow	metabolit	es occurs at or near the onset
	(1)	Lag phase	(2)	Log phase
	(3)	Stationary phase	(4)	Exponential phase

99	. wi	nich of the following is <b>not</b> a p croorganisms?	orima	ry metabolite in
	(1)	Vitamin B12	(2)	Riboflavin
	(3)	Antibiotics	(4)	
<b>5</b> 6.	. Co	mmercially vitamin B12 is pro	duce	ed by
	(1)	Bacillus sp.		•
	(2)	Propionibacterium sp.		
	(3)	Rhizopus sp.		
	(4)	Agrobacterium sp.		
<b>57</b> ,	The	cells of bacteria can be categorial can be categorial can be categorial packet of	orize eigh	d according to their t cocci is known as
	(1)	Sarcina Vk	(2)	Diplococci
	(3)	Streptococci	(4)	Staphylococci
<b>(35</b> )	An	ultraviolet light source is used	i in	
	(1)	Phase-contrast microscope	(2)	Darkfield microscope
	(3)	Electron microscope	(4)	Fluorescent microscope
<b>59</b> .	HIV	, a virus causing AIDS is class	ified	as
	(1)	Arbovirus	(2)	Retrovirus
	(3)	Togavirus	(4)	Baculovirus
60.	of	•	nts h	nave pH optimum in a range
	(1)	4 to 5 7,	(2)	6 to 8
	(3)	4 to 5 7 , 9 to 10 1/ K	(4)	3 to 4

•	מחח	ulation of an organism	n killed is			
	(1)	Population size				
		Time of exposure to	killing agent			
	(2)					
	(3)					
	(4)		antimicrobia	agem		
62)		igens	1			
	(1)	Are always proteins	W	YR		
	(2)	Always induce the fo				
	(3)	Are not involved in a		n .w		
	(4)	Are immunoglobulir	ıs W			
62	The	positive test for acid	fast stain is si	hown by the bacteria ca	ausing	
<b>0</b> 3.		disease	1830 30011 13 0		J	
	(1)	Tuberculosis	(2)	Typhoid		
	(3)	Tetanus	(4)	Colitis		
64.	Mic	orrhiza represents				
	(1)	Parasitic association	between roo	t and fungus		
	(2)	Symbiotic association	n between ro	ot and fungus		
	(3)	Symbiotic association	n between ro	ot and bacteria		
	(4)	Parasitic association				
65.	) Cha	ains of cells is a chara	acteristic prop	erty of the genus		
	(1)	Staphylococcus	(2)	Bacillus		
	(3)	Streptococcus 🗸	(4)	Corynebacterium.		
			14			

61. The characteristic that does not affect the rate at which a

### 66. Antibiotic resistance is referred to

- (1) The resistance of human body to antibiotics
- (2) Loss of sensivity of a pathogen to antibiotics
- (3) Deformity produced by antibiotic treatment in human body
- (4) Acquisition of a plasmid

## 67. The presence of E. coli in a municipal water supply indicate

- (1) Tube well as a source of water
- (2) Water is stored before supply
- (3) Water is fit for drinking
- (4) Faecal contamination.

## 68) Which of the following conversion is undesirable in wine making?

- (1) Sucrose to ethanol
- (2) Ethanol to acetic acid 🗸 K
- (3) Malic acid to lactic acid
- (4) Fructose to pyruvic acid

#### 69. A vector is a

- (1) Natural reservoir of a pathogen
- (2) Human parasite
- (3) Disease transmitting host
- (4) Pathogenic organism

### 70. The catalytic activity of enzymes is due to

- (1) Reduction in the activation energy of the reactants
- (2) Reduction in the potential energy of the reactants
- (3) Increase in the free energy of the reaction
- (4) Increase in the kinetic energy of the reactants

71.	When E. coli is inoculated to the medium containing both glucose
	and lactose, which of the following utilization pattern will be
	observed

- (1) Both will be utilized simultaneously
- (2) The one which is present in higher concentration will be utilized first
- (3) Lactose will be utilized first and glucose thereafter
- (4) Glucose will be utilized first and lactose thereafter.

<b>72</b> .	During organic evolution,	the organism	first	appeared	on	the	earth
	are						

(1) Algae

(2) Fungi

(3) Viruses

(4) Photosynthetic bacteria

- 73. Immobilized enzyme is
  - (1) A purified enzyme preparation
  - (2) Enzyme linked to a water insoluble solid support
  - (3) Enzyme located on plasma membrane
  - (4) Enzyme dissolved in buffer
- 74. In prokaryotic cells, the enzymes involved in the oxidation of metabolites are associated with
  - (1) Mitochondria

(2) Nucleoid

(3) Mesosomes 🗸

(4) Chloroplasts

- 75 In nitrogen fixation
  - (1) Plant fox nitrogen into nitrate
  - (2) Plant convert nitrite into nitrate
  - (3) The enzyme nitrogenase produce ammonias from nitrogen  $\cup$
  - (4) Bacteria are present on the roots

	(1)	Kill the microbes					
	(2)	Arrest the growth of microb	es				
	(3)	Are produced by the microb microbes	es an	d arrest the growth or kill the			
	(4)	Products of anabolic reaction	ns				
77.	Mici	robial insecticide is a prepara	ation t	hat contains			
	(1) (2)						
	(3)	Microbes producing disease	s in p	lants			
	(4)	Plant pathogens					
<b>78</b> .	Ti pi	lasmid is present in					
	(1)	Escherichia coli	(2)	Bacillus subtilis			
	(3)	Serratia marcescens	(4)	Agrobacterium tumefaciens.			
<b>79</b> .	Km	value of an enzyme represen	its				
	(1)	Substrate concentration at	half m	aximum velocity			
•	(2)	Velocity at half substrate co	ncent	ration			
	(3)	Enzyme concentration at he	alf ma	ximum velocity			
	(4)	Substrate concentration at	maxin	num velocity			
80.		end product of carbohydrate bic and anaerobic conditions					
	(1)	Lactobacillus	(2)	Saccharomyces 🗸 K			
	(3)	Mycobacterium	(4)	Clostridium			
(81)		eration time of an organism	-				
	(1)	Number of generations com					
	(2)	Time period lapsed between					
	(3)	Time required by a cell to d					
	(4)	Time required to prepare ce	ll for o	division.			

76. Antibiotics are the chemicals which

<b>82</b> .	Isozymes are a group of enzymes					
	(1) Acting on a substrate producing the same product(s)					
	(2)	Having same pH optimum				
	(3)	Having same Km value				
	(4)	Having same turn over nu	mber			
(83)	A s	trong positive catalase test is	s showr	ı by		
	(1)	Aerobes / P	(2)	, α		
	(3)	Anaerbes	(4)	Microaerophilic organisms		
84.	Pas	teurised milk is:				
	(1)	Sterile milk	(2)	Free from human pathogens		
	(3)	Defatted milk	(4)	Boiled milk		
85.	) Roc	t nodules are found in:				
	(1)					
	(2)	•	ne other	r plants 7		
	(3)	All plants		,		
	(4)	All leguminous plants but	never i	n other plants.√		
86.	Bio	chemical oxygen demand (B	(OD) res	orecents.		
	(1)			roorganisms to oxidize organic		
	(2)	Demand of oxygen by micr	obes			
	(3)			roorganisms to oxidize organic		
	(4)	Total amount of oxygen dis	solved i	in water.		
87.	Whi test	ch of the following is the mo	st suite	able organism for use in		
	(1)	Clostridium perfringens				
	(2)	Bacillus stearothermophilus	s			

(3) Bacteroides fragilis

(4) Bacillus subtilis

88.	In th	ne process of cheese manufact	ure,	the microorganisms are				
	important for							
	(1) Souring and ripening $\sqrt{16}$							
	(2)	(2) The souring of milk						
	(3)	The ripening of cheese						
	(4)	Prevention of spoilage.						
89.	'Sup	erbug' is a bacterium:						
	(1)	Used for controlling bug pest						
	(2) Capable of using mineral oil as carbon source							
	(3) Resistant to most of the antibiotics,							
	(4)	Pathogenic to humans.						
90.)	Restriction endonucleases are utilized in genetic engineering to:							
	(1)	Degrade DNA molecule						
	(2)	Build nucleotide sequence						
	(3)	Cut DNA at specific sites VK	•					
	(4)	Combine fragments of DNA ir	nto lo	ong chains				
9	A cell divides every minute and takes one hour to fill a cup. How much time will it take to fill half a cup?							
	(1)	30 minutes	(2)	45 minutes				
	(3)	55 minutes	(4)	59 minutes 🗸				
92.	. Normally, the soreness of curd formed at room temperature by addition of equal amount of starter culture in milk is maximum in the month of:							
	(1)	February	(2)	May				
	(3)	August	(4)	November				
				200				

93.	<ol> <li>An in vitro technique, making large amount of any DNA sequence without the need for cloning is called the</li> </ol>						
	(1)	DNA sequencing	(2)	Southern			
	(3)	Poymerase chain reaction	(4)	DNA fingerprinting.			
<del>94</del> .	A c	hemical substance that is pro	duce	d in highest amount in nature			
	(1)	Chlorophyll .	(2)	Lignin			
	(3)	Cellulose	(4)	Pectin			
95. Which of the following host defense is considered a specific defense?							
	(1)	Lysozyme in tears					
	(2)	Low pH in stomach					
	(3)	Secretion of mucus					
	(4)	Production of antibodies by	lymp	hocytes			
96.	6. A single bacterial cell is allowed to reproduce in liquid culture under favorable conditions. During which period will the total number of living cells be decreasing?						
	(1)	The beginning of lag phase					
	(2)	The middle of log phase		•			
	(3)	The middle of death phase					
	(4)	The middle of stationary pha	ase.				
97.	The duri	death curve when microbes a ing sterilization represents	are ex	posed to adverse conditions			
	(1)	A straight line	(2)	Parabolic curve			
	(3)	Hyperbolic curve	(4)	Sigmoid curve			
98.	Whi	ch of the following is not a ste	p of	down stream processing:			
	(1)	Precipitation	(2)	Mutation			
	(3)	Crystallization.	(4)	Filtration			

a

<b>yy</b> .	An	organism responsible for spo	ilage	of canned food is:
	(1)	Xanthomonas	(2)	
	(3)	Methanomonas	(4)	Clostridium.
100	.Ch	emically viruses are:		
	(1)	Proteins	(2)	Phospholipids
	(3)	Glycoproteins	(4)	Nucleoproteins.
101	.Ag	roup of bacteria which grows ditions is referred as	in ex	treme environmental
	(1)	Chemolithotrophic bacteria		
	(2)	Archaebacteria		
	(3)	Rickettsiae		
	(4)	Actinomycetes.		
<b>602</b>	in a desi	crowded plate technique, the	crite	eria used for the detection of
	(1)	Zone of growth z	(2)	Colour change
	(3)	Zone of inhibition	(4)	Zone of lysis
103.	The	heat sensitive components of	f micr	obial medium are sterilized
	(1)	Moist heat	(2)	Dry heat
	(3)	Radiation	(4)	Membrane filtration
104.	Nut	rients from the environment a	ar <del>e</del> co	nverted to cell components
		ugh the process of:		-
	(1)	Lyophilization	(2)	Lonophorization
	(3)	Catabolism	(4)	Anabolism
				-

(1)	Gas gangrene	(2)	Tetanus				
(3)	Botulism	(4)	All the above VK				
<b>106.</b> In c	ase of humans, lysine is an es	senti	al amino acid because:				
(1)	It is present in all proteins						
(2)	It is highly nutritive						
(3)	It is not formed in the body and has to be supplied through the diet						
(4)	It is required for protein synt	thesis	S				
<b>107.</b> Whi	ch of the following is <b>not</b> a vit	amin					
(1)	Folic acid	(2)	Ascorbic acid				
(3)	Succinic acid ·	(4)	Nicotinic acid.				
108.A fla	atoxin is produced by the fun	gus b	pelonging to the genera				
(1)	Penicillium `	(2)	Alternaria				
(3)	Aspergillus	(4)	Rhizopus.				
<b>109.</b> Dur	ing fermentation, sugar is bro	ken	down into				
	Ethanol and carbon dioxide	(2)	Ethanol and oxygen				
(1)		/41	Ethanol and water				
` '	Oxygen and carbon dioxide	(4)	Eulanor and water.				
(3)	Oxygen and carbon dioxide  P.A. filter is used to filter	(4)	Edianor and water.				
(3)		(2)	Water				

		2:	3		P.7.O.
	(3)	Microwave irradiation	(4)	MO	ist heat
	(1)	Ultraviolet light	(2)		mma radiations
		terial cells through the produ			
116	. Whi	ich of the following physical t	reatm	ents	causes damage to
	(3)	Mesophises	(4)	The	ermophiles
	(1)	Extreme halophiles	(2)		dophiles
	infe	up would you expect to be mo			
115	.In r	elation to optimal growth req	uirem	ents	of bacterium, which
	(4)	Inhibits the movement of m	icrobe	s thi	rough ice.
	(3)	Arrest the activity of associa	ited m	icrot	es
	(2)	Makes the body hard and re	esistar	nt to	microbial attack
	(1)	Kills the microbes			
114	A de	ead body can be preserved in	ice b	cau	se low temperature
	(3)	Neutral proteases	(4)	Ser	ine proteases
	(1)	•	(2)		aline proteases
113		proteases used in detergent			
	(3)	Naturally occurring antibio	ics	(4)	Toxic alkaline chemicals
	(1)	•		(2)	High osmotic pressure
112		et and salty foods often do n ilage, because they have	ot r <del>e</del> q	uire	refrigeration to prevent
	(4)	Produced by microbes			
	(3)		t synt	thesi	zed in the body
	(2)				
	(1)	Soluble in fat			

111. Vitamins are the chemicals which are

117. The largest reservoir of actinomycetes is						
(1)	Milk	(2)	River water			
(3)	Air	(4)	Soil			
710		:.::	. Hailanna in a channala malanala			
is	Alpha amylase Shown Amyloglucosidase	ا منیل	tinkage in a starch molecule			
(1)	Alpha amylase & lagaret	(2)	Beta amylage >1,4 Lulch			
(3)	Amyloglucosidase	(4)	Pollulanase V. 4 4 1/6			
(0)	· · · · · · · · · · · · · · · · · · ·	( ' )				
119. Tet	racyclin group of antibiotics ac	t by:				
(1)	Inhibiting the synthesis of p	eptid	oglycan			
(2)	Inhibiting 50 S ribosome fur	ction	1			
(3)	Inhibiting aminoacyl t-RNA l	oindi	ng to ribosome			
(4)	Inhibiting m-RNA translation	1.				
			)			
	organisms belonging to ricket	ttsia	are			
(1)	Photosynthetic					
(2)	Nitrogen fixers					
(3)	Obligate intracellular parasit	es				
(4)	Bacteriophages					
<b>121</b> . Enz	symes not subjected to regulat	ion b	y induction or repression are			
call			•			
(1)	Repressor enzymes	(2)	Constitutive enzymes			
(3)	Promotor enzymes	(4)	Inducible enzymes			
Dur fron	ring esterification, OH- ions for	the	formation of water comes,			
(1)	Acid Vr	(2) (	Alcohol			
(3)	ketone	(4)	Glucose.			
		` ,				

123		% solution of solution of a						
	(1)	171.2	(2)	68.4	(3)	34.2	(4)	136.2.
124	24. What is the relationship between resolving power of a microscope and wavelength?							
	(1)	Shorter the	wavel	ength, h	igher th	e resolvir	ng power	
	(2)	Longer the v	vavelo	ngth, hi	gher the	resolvin	g power	
	(3)	There is no	relatio	onship				
	(4)	It depends o	n the	convexi	ty of the	eyepiece	lens.	
125	25. The relationship between organisms in which one species is benefited and other is not affected is referred as							
	(1)	Mutualism			(2)	Commer	nsalism	
	(3)	Antagonism			(4)	Parasitis	m	
126		sequence of r	eacti	ons duri	ng meth	ane prod	uction in	a biogas
	(1) Hydrolysis-acidolysis-methanogenesis							
	(2)	Acidolysis-H	ydrol	y <del>sis</del> -met	hanogen	esis		
	(3)	Acidolysis- r	niner	alization	-methar	nogenesis		
	(4)	None of the	above					
127		ough microbe ein is not pop		a very g	good sou	rce of pro	oteins, Sir	ngle Cell
	(1) (2)	High nucleic Slow digestil		content				•
	(3)	Presence of p	<b>xol</b> ycl	ic aroma	tic comp	pounds		
	(4)	All the above	:			e <sup>t</sup>	,	

(128) T	(he	reaction 4H2+CO2 → CH4+	2H2O	1 478			
\ /	1)	Liberates energy ov		Requires energy J			
(;	3)	Occures spontaneously	(4)	None of the above			
(120)	n (	nemn theory of regulation of	f enzy	me synthesis to prevent			
ln Operon theory of regulation of enzyme synthesis, to prevent transcription the repressor reacts with							
(	1)	Operator gene Vok	(2)	Promotor gene			
(;	3)	Regulatory gene	(4)	Structural gene			
		in vitro technique, making la sout the need for cloning is c		mount of any DNA sequence			
(	1)	DNA sequencing	(2)	Southern blotting			
(3	3)	Poymerase chain reaction	(4)	DNA fingerprinting			
<b>131.</b> U	Jnio	que properties of each amino	acid	determined by its			
(	1)	Amino group	(2)	R-group			
(;	3)	Peptide bond	(4)	Hydrogen bond			
132 V	Vhi	ch is not the intrinsic factor	for fo	od spoilage?			
\ /	1)	Moisture content	(2)				
•	3)	Temperature \\	(4)	Physical structure			
133. W	Vha	it is the order of reagents use	d du	ring Gram staining?			
	1)	Crystal violet, iodine, safran					
X	2)	Crystal violet, iodine, decolo	rizer,	safranin			
(3	3)	Safranin, crystal violet, deco	olorize	er, iodine ≺			
(4	4)	Decolorizer, crystal violet, io	dine,	safranin <			
134 T	he isea	field of microbiology concern	ing th	ne monitoring and spread of			
(1	1)	Immunology	(2)	Epidemiology VK			
(3	3)	Anthropology	(4)	Quarentology			

<b>135.</b> A c	ommon inhabitar	nt of fresh water a	nd marine water is		
(1)	Spirogyra	(2)	Riccia		
(3)	Oedogonium	(4)	Cladosphora		
136. Citrus canker is caused by					
(1)	Azotobacter	(2)	Salmonella		
(3)	Erwinia	(4)	Xanthomonas		
137. Aseptate hyphase are observed in					
(1)	Cladosporium	. (2)	Rhizopus		
(3)	Cryptococcus	(4)	Trichophyton		
138. Lichen are the initiators of					
(1)	Xerosere	(2)	Hydrosere		
(3)	Halosere	. (4)	Psammosere		
139. Microbes obtain phosphorus mainly from					
(1)	Inorganic phosp	phate ions	•		
(2)	<b>Phospholipids</b>				
(3)	Nucleic acids				
(4)	ATP				
140. Which of the following is a fungal sexual spore?					
(1)	Chlamydospore	(2)	Basidiospore		
(3)	Blastospore	(4)	Conidiospore		
141. The	indiscriminate ι	use of antibiotics s	hould be avoided because		
(1)	They are expen	sive			
(2)	They sometimes cause allergic reactions				
(3)	They kill useful microflora in human body				
(4)	They persists in	the body for long	time .		

142.H	lydrolysis of gelatin is an indica	ation t	hat the organism secrets
(1	1) Pectinase	(2)	Amylase
(3	3) Invertase	(4)	Protease
1 <b>43</b> . B	Blackstrap molasses is a byprod	uct of	
(1	l) Beet-sugar industry	(2)	Cane sugar industry
(3	3) Soybean industry	(4)	Starch industry
1 <b>44</b> . A	n enzyme EC I.I.I.I is a		•
(1	l) Oxidoreductase	(2)	Lyase
(3	3) Transferase	(4)	Isomerase
· /	substance that can evoke eith	er a hi	umoral or cell mediated
(1	l) An immunogen√	(2)	A hapten
(3	3) An epitope	(4)	An antigen
146. H	low many high energy bonds a	re pres	ent in ATP?
(1	I) One bond	(2)	Two bond
. (3	B) Three bond	(4)	None of the above
147.Z	ygomycetes differ from other fu	ıngi in	having
(1	) Coenocytic hyphae		
(2	Peptidoglycan in their cell wall		
(3	B) No sexual spores		
(4	No asexual spores		
148.Pd	enicillin is rapidly degraded in		
(1	) Acidic medium / K.	(2)	Alkaline medium
(3	) Neutral medium	(4)	Deionized water

- 149. If the mixture of enzymes amylase, cellulose, pectinase and protease is incubated at suitable conditions, the enzyme that persists at the end will be
  - (1) Amylase

(2) Protease

(3) Cellulase

1,

(4) Pectinase

- 150. An organism that use glucose as an energy source is
  - (1) Organolithotrophic
  - (2) Photoorganotrophic
  - (3) Chemolithotrophic
  - (4) Chemoorganotrophic

### ROUGH WORK एक कार्य

### ROUGH WORK एक कार्य

## अभ्यर्थियों के लिए निर्देश

### (इस पुस्तिका के प्रथम आबरंग पृष्ठ पर तथा उत्तर-पत्र के दोनों पृष्ठों पर केवल नीली-काली बाल-प्वाइंट पेन से ही लिखें)

- ग्रहन पुस्तिका मिलने के 10 मिनट के अन्दर ही देख लें कि प्रश्नपत्र में सभी पृष्ठ मौजूद हैं और कोई प्रश्न खूटा नहीं है। पुस्तिका दोषयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष-निरीक्षक को देकर सम्पूर्ण प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें।
- 2. परीक्षा भवन में *लिफाफा रहित ब्रचेश-पत्र के अतिरिक्त*, लिखा या सादा कोई भी खुला कागज साथ में न लायें।
- उत्तर-पत्र अलग से दिवा गवा है। इसे न तो मोड़ें और न ही विकृत करें। दूसरा उत्तर-पत्र नहीं दिवा जायेगा।
   केवल उत्तर-पत्र का ही मूल्यांकन किवा जायेगा।
- अपना अनुक्रमांक तथा उत्तर-पत्र का क्रमांक प्रथम आवरण-पृष्ठ पर पेन से निर्घारित स्थान पर लिखें।
- उत्तर-यत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये वृत्तों को गाड़ा कर हैं। जड़ी-जड़ी आवश्यक हो यही प्रश्न-पुस्तिका का क्रमांक तथा सेट का नम्बर उचित स्थानों पर लिखें।
- 6. औ० एम० आर० पत्र पर अनुक्रमांक संख्या, प्रश्नपुरितका संख्या व सेट संख्या (बिंद कोई हो) तथा प्रश्नपुरितका पर अनुक्रमांक और ओ० एम० आर० पत्र संख्या की प्रविद्यियों में उपरिलेखन की अनुमित नहीं है।
- उपर्युक्त प्रविष्ठियों में कोई भी परिवर्तन कहा निरीक्षक हारा प्रमाणित होना बाहिये अन्वया यह एक अनुचित साथन का प्रयोग माना जायेगा।
- 8. प्रश्न-पुश्तिका में प्रत्येक प्रश्न के बार बैकल्पिक उत्तर दिये गये हैं। प्रत्येक प्रश्न के वैकल्पिक उत्तर के लिए आपको उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रथम पृष्ठ पर दिये गये निर्देशों के अनुसार पेन से गाड़ा करना है।
- 9. प्रत्येक प्रश्न के उत्तर के लिए केवल एक ही वृत्त को गाढ़ा करें। एक से अधिक वृत्तों को गाढ़ा करने पर अथवा एक वृत्त को अपूर्ण भरने पर वह उत्तर गलत माना जायेगा।
- 10. ब्लान दें कि एक बार स्वाही द्वारा अंकित उत्तर बदला नहीं जा सकता है। बदि आप किसी प्रश्न का उत्तर नहीं देगा बाहते हैं, तो संबंधित पंक्ति के सामने दिये गबे सभी वृत्तों को खाशी झोड़ दें। ऐसे प्रश्नों पर शून्य अंक विचे जावेंगे।
- 11. रफ कार्य के लिए प्रश्न-पुस्तिका के मुखपृष्ठ के अंदर वाला पृष्ठ तथा उत्तर-पुस्तिका के अंतिम पृष्ठ का प्रयोग करें।
- 12. परीक्षा के उपरान्त केवल औ एम आर असर-पत्र परीक्षा भवन में जमा कर दे।
- परीक्षा समाप्त होने से पहले परीका भवन से बाहर जाने की अनुमित नहीं होगी।
- 14. यदि कोई अभ्यर्थी परीक्षा में अनुचित्त साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारित दंड का/की, भागी होगा/होगी।