

Banaras Hindu University

Question Paper Name: 740
Subject Name: 740
Creation Date: 2019-07-16 12:30:12
Duration: 120
Total Marks: 300
Display Marks: Yes
Share Answer Key With Delivery Engine: Yes
Actual Answer Key: Yes

RET_Agri_Eco

Group Number : 1
Group Id : 19823611
Group Maximum Duration : 0
Group Minimum Duration : 120
Revisit allowed for view? : No
Revisit allowed for edit? : No
Break time: 0
Group Marks: 300

Methodology

Section Id : 19823621
Section Number : 1
Section type : Online
Mandatory or Optional: Mandatory
Number of Questions: 40
Number of Questions to be attempted: 40
Section Marks: 120
Display Number Panel: Yes
Group All Questions: No

Sub-Section Number: 1
Sub-Section Id: 19823621
Question Shuffling Allowed : Yes

**Question Number : 1 Question Id : 1982361001 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes**

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following is non-probability sampling :

Options :

1. Snowball

2. Random
3. Cluster
4. Stratified

Question Number : 2 Question Id : 1982361002 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

"A systematic step-by-step procedure following logical process of reasoning" is called :

Options :

1. Experiment
2. Scientific method
3. Observation
4. Deduction

Question Number : 3 Question Id : 1982361003 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

"Reasoning from general to particular" is called :

Options :

1. Induction
2. Observation
3. Deduction
4. Experience

Question Number : 4 Question Id : 1982361004 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Example of fact finding study is :

Options :

1. Pure research
2. Survey
3. Action research
4. Long term research

Question Number : 5 Question Id : 1982361005 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an example of primary data ?

Options :

1. Book
2. Journal
3. Interview
4. Census report

Question Number : 6 Question Id : 1982361006 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A Hypothesis which develops while planning the research is :

Options :

1. Null Hypothesis
2. Descriptive Hypothesis
3. Relational Hypothesis
4. Working Hypothesis

Question Number : 7 Question Id : 1982361007 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Hypothesis testing is *not* required in case of :

Options :

1. Descriptive research design
2. Experimental Design
3. Ex-post facto Design
4. Ex-post facto

Question Number : 8 Question Id : 1982361008 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of the variable for a particular individual is called as :

Options :

1. Variate
2. Data
3. Sample
4. Variable

Question Number : 9 Question Id : 1982361009 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The acceptable probability level for accuracy of agricultural field experiments is :

Options :

1. 0.01
2. 0.05
3. 0.10
4. 0.015

Question Number : 10 Question Id : 1982361010 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The minimum degree of freedom required to detect the given difference at 5% level of significance is :

Options :

1. 20
2. 15
3. 12
4. 25

Question Number : 11 Question Id : 1982361011 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The error degree of freedom in randomized complete block design with 10 treatments and 4 replications will be :

Options :

1. 40
2. 36
3. 30
4. 27

Question Number : 12 Question Id : 1982361012 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The design suited for factorial experiments involving two factors and both requiring larger plots is :

Options :

1. CRD
2. RBD
3. Split Plot
4. Strip Plot

Question Number : 13 Question Id : 1982361013 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For the data following binominal distribution and expressed in decimal or percentage, the transformation to be used is :

Options :

1. Square root
2. Logarithmic
3. Arcsine
4. No transformation

Question Number : 14 Question Id : 1982361014 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In factorial experiments, if there are n factors and p levels, it is designated as :

Options :

1. p^n
2. n^p
3. Both p^n & n^p
4. $n \times p$

Question Number : 15 Question Id : 1982361015 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Reduction in the experimental error with heterogenous material requires :

Options :

1. More replications
2. Use of randomization
3. Use of local control technique
4. More replications and use of local control technique

Question Number : 16 Question Id : 1982361016 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

PERT is :

Options :

1. Event oriented
2. Activity oriented
3. Programme oriented
4. Plan oriented

Question Number : 17 Question Id : 1982361017 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The distance between first quartile and third quartile indicates a range of measurement :

Options :

1. 50% of the items
2. 25% of the items
3. 60% of the items
4. 75% of the items

Question Number : 18 Question Id : 1982361018 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean deviation is minimum when deviations are taken from :

Options :

1. mean
2. median
3. mode
4. zero

Question Number : 19 Question Id : 1982361019 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Stratified sampling comes under the category of :

Options :

1. unrestricted sampling
2. subjective sampling
3. purposive sampling
4. restricted sampling

Question Number : 20 Question Id : 1982361020 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The test was given twice to the same group. The coefficient of correlation between the scores of the two administrations was 0.90. The association refers to :

Options :

1. Reliability
2. Validity
3. both reliability and validity
4. not related to reliability and validity

Question Number : 21 Question Id : 1982361021 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Ratio measurement has :

Options :

1. Absolute zero
2. Arbitrary zero
3. No zero

4. Infinity

Question Number : 22 Question Id : 1982361022 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The data obtained through ordinal scale is best suited for :

Options :

1. parametric tests
2. non parametric tests
3. parametric and non parametric tests
4. higher order mathematical tests

Question Number : 23 Question Id : 1982361023 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In case of split-plot, the accuracy of estimates after confounding in sub-plots increases for :

Options :

1. main plot treatments
2. all sub-plot treatments
3. all sub-plot treatments except those confounded
4. no treatment

Question Number : 24 Question Id : 1982361024 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Important characteristics of correlation are :

Options :

1. magnitude, direction and significance
2. magnitude and direction

3. direction only
4. magnitude only

Question Number : 25 Question Id : 1982361025 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The main technical function of Research Design is to control variance through :

Options :

1. MAXIMINCON principles
2. Minimizing error of measurement
3. Controlling variance of unwanted variables
4. Maximizing variance of variables

Question Number : 26 Question Id : 1982361026 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Agropedia was launched as a part of :

Options :

1. NATP project
2. NAIP Project
3. IVLP Project
4. ATMA project

Question Number : 27 Question Id : 1982361027 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following represents the best estimate of the population mean ?

Options :

1. The sample means

2. The mean of several sample means
3. The mode of several sample means
4. The median of several sample means

Question Number : 28 Question Id : 1982361028 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If you draw 100 samples from a population and plot all their means as a frequency histogram, then you have a :

Options :

1. Mean distribution
2. Skewed distribution
3. Sampling distribution
4. Binomial Distribution

Question Number : 29 Question Id : 1982361029 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If you obtain a one-tailed p-value of 0.02 then the equivalent two-tailed p-value is :

Options :

1. 0.01
2. 0.04
3. 0.02
4. 0.4

Question Number : 30 Question Id : 1982361030 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The probability that an effect has arisen due to sampling error given that the null hypothesis is true is :

Options :

1. Negligible

2. β

3. α

4. γ

Question Number : 31 Question Id : 1982361031 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If you have a correlation coefficient of 0.4, how much variance is left unexplained ?

Options :

1. 16%

2. 40%

3. 84%

4. 4%

Question Number : 32 Question Id : 1982361032 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All other things being equal :

Options :

1. The more sample size increases, the more power decreases

2. The more sample size decreases, the more power increases

3. Sample size has no relationship to power

4. The more sample size increases, the more indeterminate the power

Question Number : 33 Question Id : 1982361033 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of χ^2 will always be :

Options :

1. Positive
2. Negative
3. High
4. Zero

Question Number : 34 Question Id : 1982361034 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A population consisting of the results of the conceptually repeated trials is known as :

Options :

1. finite population
2. infinite population
3. hypothetical population
4. real population

Question Number : 35 Question Id : 1982361035 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Formula for standard error of sample mean \bar{x} based on sample size 'n' having variance s^2 , when population consisted of N items is :

Options :

1. $\frac{s}{n}$
2. $\frac{s}{\sqrt{n+1}}$
3. $\frac{s}{\sqrt{n-1}}$
4. $\frac{s}{\sqrt{n}}$

Question Number : 36 Question Id : 1982361036 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A Population was divided into clusters and it was found that within cluster variation was less than the variation between clusters. If a sample of units was drawn from each cluster, the sampling procedure used was :

Options :

1. multistage sampling
2. cluster sampling
3. stratified sampling
4. simple random sampling

Question Number : 37 Question Id : 1982361037 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In a perfectly symmetrical distribution :

Options :

1. the values of mean, median and mode are identical
2. mean is greater than mode
3. median is greater than mode
4. median is greater than mean

Question Number : 38 Question Id : 1982361038 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The significance of simple correlation coefficient can be tested by :

Options :

1. 't' test
2. 'F' test
3. Chi-Square test
4. 'Z' test

Question Number : 39 Question Id : 1982361039 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If in a split plot design A at 5 levels is allocated in main-plots and B in 4 levels in sub-plots and the treatments have 3 replications, then the sub-plot error degree of freedom will be :

Options :

1. 20
2. 12
3. 30
4. 18

Question Number : 40 Question Id : 1982361040 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The degrees of freedom for χ^2 in case of dichotomized frequencies are :

Options :

1. 0
2. 1
3. 2
4. 4

Area Concerned

Section Id :	19823622
Section Number :	2
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	60
Number of Questions to be attempted:	60
Section Marks:	180
Display Number Panel:	Yes
Group All Questions:	No

Sub-Section Number:	1
Sub-Section Id:	19823622
Question Shuffling Allowed :	Yes

Question Number : 41 Question Id : 1982361041 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In case of CES production function, the elasticity of substitution (σ) is equal to :

Options :

1. ∞
2. 0
3. 1
4. varies between 0 and ∞

Question Number : 42 Question Id : 1982361042 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a production function is homogeneous of degree 2, the returns to scale are :

Options :

1. constant
2. increasing
3. decreasing
4. variable

Question Number : 43 Question Id : 1982361043 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a transcendental production function ?

Options :

1. $\ln y = \ln a_0 + a_1 \ln x_1$
2. $y = a + bx_1$
3. $\ln y = a_1 b_1 x_1 \ln a_0 + \sum_{i=1}^n (a_i \ln x_i) + \frac{1}{2} \sum_{i=1}^n \sum_{j=1}^n (\beta_{ij} \ln x_i \ln x_j)$
4. $y = a_0 x_1^{a_1} e^{b_1 x_1}$

Question Number : 44 Question Id : 1982361044 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a categorical independent variable contains three categories, then the number of dummy variable(s) needed to uniquely represent these categories will be :

Options :

1. 1
2. 2
3. 3
4. 4

Question Number : 45 Question Id : 1982361045 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A Cobb-Douglas production function is a limiting case of :

Options :

1. Leontif production function
2. Translog production function
3. CES production function
4. Transcendental production function

Question Number : 46 Question Id : 1982361046 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Marginal rate of technical substitution equals the ratio of :

Options :

1. inputs
2. average products
3. average product and marginal product

4. marginal products

Question Number : 47 Question Id : 1982361047 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following production functions has degree of homogeneity equal to one ?

Options :

1. $y = 2x_1/x_2$

2. $y = x_1^2 + x_1x_2 + x_2^2$

3. $y = 8x_1 + 9x_2$

4. $y = x_1^3 + 2x_1x_2 + x_2^3$

Question Number : 48 Question Id : 1982361048 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following econometric problems is common in cross-section data ?

Options :

1. Multicollinearity

2. Heteroscedasticity

3. Serial correlation

4. Over-identification

Question Number : 49 Question Id : 1982361049 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In case of Durbin-Watson test, if the value of autocorrelation coefficient (ρ) is equal to (1), then the value of d will be :

Options :

1. 0

2. 2

3. 4

4. ∞

Question Number : 50 Question Id : 1982361050 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Cochrane-Orcutt method is used for :

Options :

1. detecting heteroscedasticity
2. removing heteroscedasticity
3. detecting autocorrelation
4. removing autocorrelation

Question Number : 51 Question Id : 1982361051 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Breusch-Godfrey test is used for detecting :

Options :

1. Autocorrelation
2. Multicollinearity
3. Heteroscedasticity
4. Problem of identification

Question Number : 52 Question Id : 1982361052 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

To test autocorrelation, following test can be used :

Options :

1. Z-test
2. t-test

3. Durbin-Watson test

4. White test

Question Number : 53 Question Id : 1982361053 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When two or more of the explanatory variables are highly correlated, this situation is referred to as :

Options :

1. Multicollinearity
2. Autocorrelation
3. Heteroscedasticity
4. Linearity

Question Number : 54 Question Id : 1982361054 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When the errors are not independently distributed, this is referred to as :

Options :

1. Collinearity
2. Autocorrelation
3. Heteroscedasticity
4. Linearity

Question Number : 55 Question Id : 1982361055 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

At the point of inflexion, the marginal product is :

Options :

1. Increasing
2. Decreasing

3. Maximum

4. Negative

Question Number : 56 Question Id : 1982361056 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Law of variable proportions is valid when :

Options :

1. Only one input is fixed and other inputs are variable
2. All inputs are kept constant
3. All inputs are varied in the same proportion
4. Only one input is variable and others are fixed

Question Number : 57 Question Id : 1982361057 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An isoquant is to an iso-cost line at equilibrium point :

Options :

1. Convex
2. Concave
3. Tangent
4. Perpendicular

Question Number : 58 Question Id : 1982361058 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Marginal product is above the average product curve when the average product is :

Options :

1. Increasing
2. Decreasing
3. Constant

4. Zero

Question Number : 59 Question Id : 1982361059 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If LAC curve falls as output expands, this is due to :

Options :

1. Law of diminishing returns

2. Economies of scale

3. Law of variable proportions

4. Diseconomies of scale

Question Number : 60 Question Id : 1982361060 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Nearly percent of population is dependent on agriculture presently in India :

Options :

1. 72

2. 54

3. 22

4. 14

Question Number : 61 Question Id : 1982361061 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Keynes states that aggregate demand function is :

Options :

1. A decreasing function of the level of employment

2. A increasing function of the level of employment

3. A constant function of the level of employment

4. None of the three

Question Number : 62 Question Id : 1982361062 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of multiplier (K) is equal to :

Options :

1. $\frac{1}{MPC}$

2. $\frac{1}{1-MPS}$

3. $\frac{1}{MPS}$

4. $\frac{1}{MPC+MPS}$

Question Number : 63 Question Id : 1982361063 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Choose the correct sequence of stages in a business cycle :

Options :

1. Recovery → Boom → Prosperity → Recession → Depression

2. Recovery → Prosperity → Boom → Depression → Recession

3. Recovery → Prosperity → Boom → Recession → Depression

4. Recovery → Boom → Depression → Recession → Prosperity

Question Number : 64 Question Id : 1982361064 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

People engaged in occupation, where their marginal productivity is zero is termed as :

Options :

1. Involuntary unemployment

2. Under employment

3. Visible under-employment

4. Disguised unemployment

Question Number : 65 Question Id : 1982361065 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Disposable income is equal to :

Options :

1. Consumption expenditure + Savings
2. Consumption expenditure – Savings
3. Consumption expenditure – Investments
4. Saving – Consumption expenditure

Question Number : 66 Question Id : 1982361066 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The concept of "Paradox of thrift" was first introduced by :

Options :

1. Keynes
2. Marshall
3. Bernard Mandeville
4. Ricardo

Question Number : 67 Question Id : 1982361067 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A theory is :

Options :

1. An assumption
2. A validated hypothesis
3. A hypothesis
4. An "if-then" proposition

Question Number : 68 Question Id : 1982361068 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Perfect competition leads to a point on the grand utility possibility curve :

Options :

1. Never
2. Always
3. Sometimes
4. None of these

Question Number : 69 Question Id : 1982361069 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An ethical or value judgement must be made in order to derive :

Options :

1. The transformation curve
2. The consumption contract curve
3. The grand utility possibility curve
4. The social welfare function

Question Number : 70 Question Id : 1982361070 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A hypothesis is tested by :

Options :

1. The realism of its assumption(s)
2. The lack of realism of its assumption(s)

Its ability to predict accurately an outcome that follows logically from the
3. assumption(s)

4. All of the three

Question Number : 71 Question Id : 1982361071 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The variables such as gender and marital status are examples of :

Options :

1. Ratio scale
2. Interval scale
3. Nominal scale
4. Ordinal scale

Question Number : 72 Question Id : 1982361072 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The MVP of resources in L. P. is called :

Options :

1. Shadow prices
2. Border prices
3. Opportunity cost
4. Marginal return

Question Number : 73 Question Id : 1982361073 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following methods is used to resolve degeneracy problem ?

Options :

1. Simplex Method
2. C. M. Method
3. Big M Method
4. C. P. Method

Question Number : 74 Question Id : 1982361074 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If the value of objective function (z) can be increased or decreased indefinitely then such solution are called :

Options :

1. Basic solution
2. Basic feasible solution
3. Optimal solution
4. Unbounded solution

Question Number : 75 Question Id : 1982361075 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is the assumption of L. P. ?

Options :

1. Linearity of the objective function
2. Non-negativity
3. Single value expectation
4. All of these

Question Number : 76 Question Id : 1982361076 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Net capital ratio is equal to :

Options :

1. Total assets ÷ Total liabilities
2. Total liabilities ÷ Total assets
3. Total assets ÷ Total liabilities/Total assets
4. Total assets ÷ Current liabilities

Question Number : 77 Question Id : 1982361077 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In India crop insurance scheme was first introduced in :

Options :

1. 1972
2. 1973
3. 1971
4. 1974

Question Number : 78 Question Id : 1982361078 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The funds provided by the higher level bodies to the lower level bodies are :

Options :

1. Grants
2. Donation
3. Escheat
4. Tributes

Question Number : 79 Question Id : 1982361079 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Sugar factory in a sugarcane producing area is the example of :

Options :

1. Monopoly
2. Duopoly
3. Oligopoly
4. Monopsony

Question Number : 80 Question Id : 1982361080 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Government of India aims making India 5 trillion dollars economy by the year :

Options :

1. 2022
2. 2023
3. 2024
4. 2025

Question Number : 81 Question Id : 1982361081 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Percent change in quantity supplied induced by one percent change in price is known as :

Options :

1. elasticity of production
2. elasticity of demand
3. elasticity of supply
4. elasticity of substitution

Question Number : 82 Question Id : 1982361082 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The curve, which is locus of points in commodity space, yields same level of satisfaction to consumer is known as :

Options :

1. Isoproduct curve
2. Indifference curve
3. Engel curve
4. Demand curve

Question Number : 83 Question Id : 1982361083 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Kinked Demand Curve hypothesis is found in the market :

Options :

1. Perfect
2. Monopoly
3. Monopolistic
4. Oligopoly

Question Number : 84 Question Id : 1982361084 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Two markets are said to be integrated, if the price difference between two markets is :

Options :

1. equal to transportation cost
2. higher to transportation cost
3. lower to transportation cost
4. equal to GST

Question Number : 85 Question Id : 1982361085 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Arbitrage is :

Options :

1. Buying and selling in two markets simultaneously
2. A rate of interest
3. Dispute
4. Fee

Question Number : 86 Question Id : 1982361086 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Total membership of WTO is :

Options :

1. 164

2. 169

3. 156

4. 125

Question Number : 87 Question Id : 1982361087 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Alphanso mango was rejected by EU on the basis of :

Options :

1. TBT

2. SPS measure

3. Patent

4. Copyright

Question Number : 88 Question Id : 1982361088 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Imposition of Lumpsum tax will reduce :

Options :

1. profit

2. price

3. price quantity combination

4. quantity

Question Number : 89 Question Id : 1982361089 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For Giffen goods positive income effect is :

Options :

1. More than negative substitution effect
2. Less than negative substitution effect
3. Equal to negative substitution effect
4. More than positive substitution effect

Question Number : 90 Question Id : 1982361090 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

MSP is announced by :

Options :

1. State Govt.
2. Central Govt.
3. CACP
4. NITI Ayog

Question Number : 91 Question Id : 1982361091 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Monopolistic competition is characterized by :

Options :

1. Homogeneous product
2. Differentiated product
3. Heterogeneous product
4. No quality product

Question Number : 92 Question Id : 1982361092 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Relative responsiveness of the usage of X to the change in total expenditure is known as :

Options :

1. elasticity of substitution
2. elasticity of production
3. expenditure elasticity
4. elasticity of supply

Question Number : 93 Question Id : 1982361093 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When RTS between every pair of inputs is the same for all producers using both inputs, it is known as :

Options :

1. General Equilibrium of Production
2. General Equilibrium of Consumption
3. General Equilibrium of Welfare
4. General Equilibrium of Exchange

Question Number : 94 Question Id : 1982361094 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When marginal social cost is less than the marginal social benefit, it is known as :

Options :

1. external diseconomy
2. external economy
3. internal diseconomy
4. internal economy

Question Number : 95 Question Id : 1982361095 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In very short period market, the price is mainly governed by :

Options :

1. Demand
2. Supply
3. Demand and Supply both
4. Other factors

Question Number : 96 Question Id : 1982361096 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

As per Agreement of Agriculture of WTO, fertilizer subsidy is categorized under :

Options :

1. Green Box Subsidy
2. Blue Box Subsidy
3. Product specific subsidy
4. Non product specific subsidy

Question Number : 97 Question Id : 1982361097 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Commodity future trading is regulated by :

Options :

1. FMC
2. BSE
3. NIFTY
4. SEBI

Question Number : 98 Question Id : 1982361098 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When a monopolist charges different prices for the same market/consumer on the basis of volume, it is known as :

Options :

1. Price discrimination
2. Block pricing
3. Regulated pricing
4. Multiplant pricing

Question Number : 99 Question Id : 1982361099 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

ARIMA technique is used for :

Options :

1. Correlation
2. Forecast
3. Significance test
4. Regression

Question Number : 100 Question Id : 1982361100 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Proportional change in output that results when all inputs are expanded in the same proportion, it is known as :

Options :

1. Elasticity of production
2. Returns to scale
3. Elasticity of substitution
4. Expenditure elasticity