

Banaras Hindu University

Question Paper Name: 744
Subject Name: 744
Creation Date: 2019-07-16 12:30:11
Duration: 120
Total Marks: 300
Display Marks: Yes
Share Answer Key With Delivery Engine: Yes
Actual Answer Key: Yes

RET_Ent_Agri_Zool

Group Number : 1
Group Id : 1982361
Group Maximum Duration : 0
Group Minimum Duration : 120
Revisit allowed for view? : No
Revisit allowed for edit? : No
Break time: 0
Group Marks: 300

Methodology

Section Id : 1982361
Section Number : 1
Section type : Online
Mandatory or Optional: Mandatory
Number of Questions: 40
Number of Questions to be attempted: 40
Section Marks: 120
Display Number Panel: Yes
Group All Questions: No

Sub-Section Number: 1
Sub-Section Id: 1982361
Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 1982361 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following is non-probability sampling :

Options :

1. Snowball

2. Random
3. Cluster
4. Stratified

Question Number : 2 Question Id : 1982362 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

"A systematic step-by-step procedure following logical process of reasoning" is called :

Options :

1. Experiment
2. Scientific method
3. Observation
4. Deduction

Question Number : 3 Question Id : 1982363 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

"Reasoning from general to particular" is called :

Options :

1. Induction
2. Observation
3. Deduction
4. Experience

Question Number : 4 Question Id : 1982364 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Example of fact finding study is :

Options :

1. Pure research
2. Survey
3. Action research
4. Long term research

Question Number : 5 Question Id : 1982365 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an example of primary data ?

Options :

1. Book
2. Journal
3. Interview
4. Census report

Question Number : 6 Question Id : 1982366 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A Hypothesis which develops while planning the research is :

Options :

1. Null Hypothesis
2. Descriptive Hypothesis
3. Relational Hypothesis
4. Working Hypothesis

Question Number : 7 Question Id : 1982367 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Hypothesis testing is *not* required in case of :

Options :

1. Descriptive research design
2. Experimental Design
3. Ex-post facto Design
4. Ex-post facto

Question Number : 8 Question Id : 1982368 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of the variable for a particular individual is called as :

Options :

1. Variate
2. Data
3. Sample
4. Variable

Question Number : 9 Question Id : 1982369 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The acceptable probability level for accuracy of agricultural field experiments is :

Options :

1. 0.01
2. 0.05
3. 0.10
4. 0.015

Question Number : 10 Question Id : 19823610 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The minimum degree of freedom required to detect the given difference at 5% level of significance is :

Options :

1. 20
2. 15
3. 12
4. 25

Question Number : 11 Question Id : 19823611 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The error degree of freedom in randomized complete block design with 10 treatments and 4 replications will be :

Options :

1. 40
2. 36
3. 30
4. 27

Question Number : 12 Question Id : 19823612 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The design suited for factorial experiments involving two factors and both requiring larger plots is :

Options :

1. CRD
2. RBD
3. Split Plot
4. Strip Plot

Question Number : 13 Question Id : 19823613 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For the data following binominal distribution and expressed in decimal or percentage, the transformation to be used is :

Options :

1. Square root
2. Logarithmic
3. Arcsine
4. No transformation

Question Number : 14 Question Id : 19823614 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In factorial experiments, if there are n factors and p levels, it is designated as :

Options :

1. p^n
2. n^p
3. Both p^n & n^p
4. $n \times p$

Question Number : 15 Question Id : 19823615 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Reduction in the experimental error with heterogenous material requires :

Options :

1. More replications
2. Use of randomization
3. Use of local control technique
4. More replications and use of local control technique

Question Number : 16 Question Id : 19823616 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

PERT is :

Options :

1. Event oriented
2. Activity oriented
3. Programme oriented
4. Plan oriented

Question Number : 17 Question Id : 19823617 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The distance between first quartile and third quartile indicates a range of measurement :

Options :

1. 50% of the items
2. 25% of the items
3. 60% of the items
4. 75% of the items

Question Number : 18 Question Id : 19823618 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean deviation is minimum when deviations are taken from :

Options :

1. mean
2. median
3. mode
4. zero

Question Number : 19 Question Id : 19823619 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Stratified sampling comes under the category of :

Options :

1. unrestricted sampling
2. subjective sampling
3. purposive sampling
4. restricted sampling

Question Number : 20 Question Id : 19823620 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The test was given twice to the same group. The coefficient of correlation between the scores of the two administrations was 0.90. The association refers to :

Options :

1. Reliability
2. Validity
3. both reliability and validity
4. not related to reliability and validity

Question Number : 21 Question Id : 19823621 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Ratio measurement has :

Options :

1. Absolute zero
2. Arbitrary zero
3. No zero

4. Infinity

Question Number : 22 Question Id : 19823622 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The data obtained through ordinal scale is best suited for :

Options :

1. parametric tests
2. non parametric tests
3. parametric and non parametric tests
4. higher order mathematical tests

Question Number : 23 Question Id : 19823623 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In case of split-plot, the accuracy of estimates after confounding in sub-plots increases for :

Options :

1. main plot treatments
2. all sub-plot treatments
3. all sub-plot treatments except those confounded
4. no treatment

Question Number : 24 Question Id : 19823624 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Important characteristics of correlation are :

Options :

1. magnitude, direction and significance
2. magnitude and direction

3. direction only
4. magnitude only

Question Number : 25 Question Id : 19823625 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The main technical function of Research Design is to control variance through :

Options :

1. MAXIMINCON principles
2. Minimizing error of measurement
3. Controlling variance of unwanted variables
4. Maximizing variance of variables

Question Number : 26 Question Id : 19823626 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Agropedia was launched as a part of :

Options :

1. NATP project
2. NAIP Project
3. IVLP Project
4. ATMA project

Question Number : 27 Question Id : 19823627 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following represents the best estimate of the population mean ?

Options :

1. The sample means

2. The mean of several sample means
3. The mode of several sample means
4. The median of several sample means

Question Number : 28 Question Id : 19823628 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If you draw 100 samples from a population and plot all their means as a frequency histogram, then you have a :

Options :

1. Mean distribution
2. Skewed distribution
3. Sampling distribution
4. Binomial Distribution

Question Number : 29 Question Id : 19823629 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If you obtain a one-tailed p-value of 0.02 then the equivalent two-tailed p-value is :

Options :

1. 0.01
2. 0.04
3. 0.02
4. 0.4

Question Number : 30 Question Id : 19823630 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The probability that an effect has arisen due to sampling error given that the null hypothesis is true is :

Options :

1. Negligible

2. β

3. α

4. γ

Question Number : 31 Question Id : 19823631 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If you have a correlation coefficient of 0.4, how much variance is left unexplained ?

Options :

1. 16%

2. 40%

3. 84%

4. 4%

Question Number : 32 Question Id : 19823632 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All other things being equal :

Options :

1. The more sample size increases, the more power decreases

2. The more sample size decreases, the more power increases

3. Sample size has no relationship to power

4. The more sample size increases, the more indeterminate the power

Question Number : 33 Question Id : 19823633 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of χ^2 will always be :

Options :

1. Positive
2. Negative
3. High
4. Zero

Question Number : 34 Question Id : 19823634 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A population consisting of the results of the conceptually repeated trials is known as :

Options :

1. finite population
2. infinite population
3. hypothetical population
4. real population

Question Number : 35 Question Id : 19823635 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Formula for standard error of sample mean \bar{x} based on sample size 'n' having variance s^2 , when population consisted of N items is :

Options :

1. $\frac{s}{n}$
2. $\frac{s}{\sqrt{n+1}}$
3. $\frac{s}{\sqrt{n-1}}$
4. $\frac{s}{\sqrt{n}}$

Question Number : 36 Question Id : 19823636 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A Population was divided into clusters and it was found that within cluster variation was less than the variation between clusters. If a sample of units was drawn from each cluster, the sampling procedure used was :

Options :

1. multistage sampling
2. cluster sampling
3. stratified sampling
4. simple random sampling

Question Number : 37 Question Id : 19823637 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In a perfectly symmetrical distribution :

Options :

1. the values of mean, median and mode are identical
2. mean is greater than mode
3. median is greater than mode
4. median is greater than mean

Question Number : 38 Question Id : 19823638 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The significance of simple correlation coefficient can be tested by :

Options :

1. 't' test
2. 'F' test
3. Chi-Square test
4. 'Z' test

Question Number : 39 Question Id : 19823639 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If in a split plot design A at 5 levels is allocated in main-plots and B in 4 levels in sub-plots and the treatments have 3 replications, then the sub-plot error degree of freedom will be :

Options :

1. 20
2. 12
3. 30
4. 18

Question Number : 40 Question Id : 19823640 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The degrees of freedom for χ^2 in case of dichotomized frequencies are :

Options :

1. 0
2. 1
3. 2
4. 4

	Area Concerned
Section Id :	1982362
Section Number :	2
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	60
Number of Questions to be attempted:	60
Section Marks:	180
Display Number Panel:	Yes
Group All Questions:	No

Sub-Section Number:	1
Sub-Section Id:	1982362
Question Shuffling Allowed :	Yes

Question Number : 41 Question Id : 19823641 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Bacillus thuringiensis was reported by Berliner from :

Options :

1. *Spodoptera*
2. *Heliothis*
3. *Tribolium*
4. *Ephestia*

Question Number : 42 Question Id : 19823642 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For-gut is lined internally by :

Options :

1. Epithelial membrane
2. Intima
3. Peritrophic membrane
4. Taenidia

Question Number : 43 Question Id : 19823643 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Insects feeding on plants of several genera within a family are called :

Options :

1. Oligophagous
2. Aphagous
3. Polyphagous
4. Monophagous

Question Number : 44 Question Id : 19823644 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Integrated Pest Management (IPM) aims at :

Options :

1. Keeping pest population below EIL
2. Increasing natural enemies of the pest
3. Strengthening the host
4. Keeping pest population below GE

Question Number : 45 Question Id : 19823645 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Juvenile hormone is secreted by :

Options :

1. Thoracic glands
2. Carpora allata
3. Carpora cardiaca
4. Neurosecretary cells

Question Number : 46 Question Id : 19823646 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Chitin is :

Options :

1. Sulphur containing amino acids
2. Nitrogenous monosaccharide
3. Nitrogenous disaccharide

4. Nitrogenous polysaccharide

Question Number : 47 Question Id : 19823647 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The function of malpighian tubules is :

Options :

1. Respiration
2. Digestion
3. Excretion
4. Circulation

Question Number : 48 Question Id : 19823648 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

San Jose scale belongs to which family :

Options :

1. Diaspididae
2. Dactylopidae
3. Tenthredinidae
4. Meloidae

Question Number : 49 Question Id : 19823649 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Royal Jelly is secreted from the glands located in the:

Options :

1. Hypopharynx
2. Prothorax

3. Mesothorax

4. Metathorax

Question Number : 50 Question Id : 19823650 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following under goes embryonic diapause :

Options :

1. Tobacco horn worm

2. Pink boll worm

3. Mosquito

4. Silk worm

Question Number : 51 Question Id : 19823651 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The total heat energy required to complete a certain stage of development in the life cycle of an insect is called :

Options :

1. Thermal constant

2. Developmental unit

3. Thermoregulation

4. Acclimation

Question Number : 52 Question Id : 19823652 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The sac for storage of sperms in male insects is called :

Options :

1. Genital chamber

2. Seminal vesicle
3. Spermatheca
4. Vas deferens

Question Number : 53 Question Id : 19823653 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An arthropod that parasitizes and kills an arthropod host, which is parasitic in its immature stages but is free living as an adult is known as :

Options :

1. Parasitoid
2. Entomopathogen
3. Parasite
4. Paedogenesis

Question Number : 54 Question Id : 19823654 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Pollination by insect is called :

Options :

1. Entomophobia
2. Entomophily
3. Hydrophily
4. Entomophagy

Question Number : 55 Question Id : 19823655 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Low "Lethal Concentration 50" (LC_{50}) of an insecticide indicates that it is :

Options :

1. High persistence

2. Less toxic
3. More toxic
4. Photostable

Question Number : 56 Question Id : 19823656 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Diflubenzuron is a derivative of :

Options :

1. Dithiophosphoric acid
2. Dichloro compounds
3. Phosphonic acid
4. Urea

Question Number : 57 Question Id : 19823657 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Chemicals which are beneficial to both emitter and receiver are called :

Options :

1. Allomone
2. Synomone
3. Kairomone
4. Apneumone

Question Number : 58 Question Id : 19823658 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The diapause stage of Pink boll worm is :

Options :

1. Larvae

2. Pupae
3. Egg
4. Adult

Question Number : 59 Question Id : 19823659 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The process of leaving off the colony by the queen bee is termed as :

Options :

1. Foraging
2. Absconding
3. Supersedure
4. Swarming

Question Number : 60 Question Id : 19823660 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The recent devastating invasive pest reported in 2018 from various southern states of India, particularly on maize crop is :

Options :

1. *Aceria guerreronis*
2. *Aleurodicus rugioperculatus*
3. *Spodoptera frugiperda*.
4. *Frankiniella occidentalis*

Question Number : 61 Question Id : 19823661 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The False spider mite belongs to which family of order Prostigmata :

Options :

1. Tetranychidae

2. Tenuipalpidae

3. Eriophyidae

4. Tarsonemidae

Question Number : 62 Question Id : 19823662 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The study of insect behavior is called as :

Options :

1. Sociobiology

2. Ethnology

3. Phenology

4. Ethology

Question Number : 63 Question Id : 19823663 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Who was the first President of Entomological Society of India established in 1938 :

Options :

1. Afzal Hussain

2. H. S. Pruthi

3. Rama Krishna Ayyar

4. Lionel de Niceville

Question Number : 64 Question Id : 19823664 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Springing organ or furcula in Collembola is present on which abdominal segment :

Options :

1. Third

2. First

3. Second

4. Fourth

Question Number : 65 Question Id : 19823665 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

National Plant Protection Training Institute is located at :

Options :

1. Mumbai
2. Bangalore
3. Hyderabad
4. New Delhi

Question Number : 66 Question Id : 19823666 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

First instance of insecticide resistance among insect pest of agricultural crops in India was reported against :

Options :

1. *Tribolium castaneum*
2. *Galerucella birmanica*
3. *Plutella xylostella*
4. *Helicoverpa armigera*

Question Number : 67 Question Id : 19823667 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which among the following journals is published from Indian Agricultural Research Institute, New Delhi ?

Options :

1. Indian Journal of Plant Protection

2. Indian Journal of Applied Entomology
3. Indian Journal of Entomology
4. Journal of Applied Zoological Research

Question Number : 68 Question Id : 19823668 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Pollu beetle is the major insect pest of :

Options :

1. Black pepper
2. Turmeric
3. Cashew
4. Cardamom

Question Number : 69 Question Id : 19823669 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The rain plays important role in the emergence of :

Options :

1. *Pyrilla*
2. Beetles of white grub
3. Rice stem borer
4. Gram pod borer

Question Number : 70 Question Id : 19823670 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Insecticide classified as 'Highly toxic' will carry which coloured triangle on its packet :

Options :

1. Bright green
2. Bright yellow

3. Bright blue

4. Bright red

Question Number : 71 Question Id : 19823671 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Presence of oxalic acid and malic acid in chick pea trichomes imparts resistance against :

Options :

1. Pod bug

2. Pod fly

3. *Helicoverpa armigera*

4. Gram cut worm

Question Number : 72 Question Id : 19823672 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Barium carbonate is registered as :

Options :

1. Fumigant

2. Rodenticide

3. Molluscicide

4. Fungicide

Question Number : 73 Question Id : 19823673 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A winged, pre-adult stage namely 'subimago' is characteristic of :

Options :

1. Ephemeroptera

2. Odonata

3. Plecoptera

4. Dermaptera

Question Number : 74 Question Id : 19823674 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following insecticides don't have a 'Negative temperature coefficient' ?

Options :

1. Endosulfan
2. Organophosphates and Carbamates
3. Pyrethroids
4. DDT

Question Number : 75 Question Id : 19823675 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Insecticide act was passed in the year :

Options :

1. 1958
2. 1968
3. 1948
4. 1978

Question Number : 76 Question Id : 19823676 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

'Hopper burn" is caused by :

Options :

1. Rice green leaf hopper
2. Grass hopper
3. Brown plant hopper

4. White backed plant hopper

Question Number : 77 Question Id : 19823677 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Cornicle is found in :

Options :

1. Rice grain moth
2. Aphid
3. Lady bird beetle
4. Stem borer

Question Number : 78 Question Id : 19823678 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Chrysoperla camea is a :

Options :

1. Predator
2. Pest
3. Parasitoid
4. Parasite

Question Number : 79 Question Id : 19823679 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Ecdysis mean :

Options :

1. Laying of eggs
2. Going under pupation
3. Larval duration

4. Casting of skin

Question Number : 80 Question Id : 19823680 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Pseudo halteres are present in insect belonging to order :

Options :

1. Strepsiptera
2. Diplura
3. Diptera
4. Ephemeroptera

Question Number : 81 Question Id : 19823681 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Cucurbits in early stage are mainly damaged by :

Options :

1. Jassids
2. Red pumpkin beetle
3. Borers
4. Aphids

Question Number : 82 Question Id : 19823682 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the fly is pest of cotton :

Options :

1. White fly
2. Fruit fly
3. Stem fly

4. Saw fly

Question Number : 83 Question Id : 19823683 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following insect are migratory in nature :

Options :

1. Red pumpkin beetles
2. Mealy bugs
3. White grubs
4. Locusts

Question Number : 84 Question Id : 19823684 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The basis of antibiosis in corn against European Corn Borer is :

Options :

1. Presence of toxins
2. Nutritional imbalance
3. Presence of growth inhibitors MBOA and DMBOA
4. Nutrition deficiency

Question Number : 85 Question Id : 19823685 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Aphelinus mali has been a successful parasitoid in controlling :

Options :

1. Tobacco caterpillar
2. Apple woolly aphis
3. Maize stem borer

4. Sugarcane top borer

Question Number : 86 Question Id : 19823686 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In which of the following insect the spiracles are absent :

Options :

1. Cecidomyid larvae
2. Chironomid larvae
3. Mycetophilid larvae
4. Psycodid larvae

Question Number : 87 Question Id : 19823687 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Out of the following poisons which works as an anticoagulant for the control of rats :

Options :

1. Zinc phosphide
2. Strychnine
3. Warfarin
4. Praration

Question Number : 88 Question Id : 19823688 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Peritrophic membrane is absent in :

Options :

1. Orthoptera
2. Isopetra
3. Coleoptera

4. Hemiptera

Question Number : 89 Question Id : 19823689 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Piercing and sucking type of mouth part are found in :

Options :

1. House fly
2. Aphids
3. Grass hopper
4. Beetles

Question Number : 90 Question Id : 19823690 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rodolia cardinalis has been success full in controlling :

Options :

1. Sugarcane shoot borer
2. Apple woolly aphid
3. Cottony cushion scale
4. Pink boll worm

Question Number : 91 Question Id : 19823691 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The legless young of a housefly is known as :

Options :

1. Maggot
2. Caterpillar
3. Nymph

4. Grub

Question Number : 92 Question Id : 19823692 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tree banding is useful for the control :

Options :

1. Mango stem borer
2. Bark eating caterpillar
3. Mango hopper
4. Mango mealy bug

Question Number : 93 Question Id : 19823693 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a systemic insecticide :

Options :

1. Malathion
2. Imidacloprid
3. Parathion
4. Carbofuran

Question Number : 94 Question Id : 19823694 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Aceria cajani is responsible for disease :

Options :

1. DEMV
2. FMV
3. SMD

4. WSMV

Question Number : 95 Question Id : 19823695 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one is an acaricide :

Options :

1. Dicofol
2. Endosulfan
3. Folidol
4. Monocrtophos

Question Number : 96 Question Id : 19823696 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following insecticides is based on a compound found in bacteria ?

Options :

1. Acetamiprid
2. Fipronil
3. Acephete
4. Spinosad

Question Number : 97 Question Id : 19823697 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following works as a nematicide also ?

Options :

1. Chropyriphos
2. Carbofuran
3. Emamectine benzoate

4. Dimethoate

Question Number : 98 Question Id : 19823698 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The weed, Lantana camera is controlled by :

Options :

1. Tur pod bug
2. Lantana bug
3. Cochnial insect
4. Shool fly

Question Number : 99 Question Id : 19823699 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Zygotogramma bicolorata feeds on :

Options :

1. Water hyacinth
2. Parthenium
3. Orabanche
4. Saccharum

Question Number : 100 Question Id : 198236100 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of following is present in the haemolymph of majority of insects :

Options :

1. Fructose
2. Glucose
3. Sucrose

4. Trehalose