

Banaras Hindu University

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	631 16th Mar 2022 Shift 3
Subject Name :	631
Creation Date :	2022-03-16 19:30:54
Duration :	120
Total Marks :	300
Display Marks:	Yes
Share Answer Key With Delivery Engine :	Yes
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	No
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No
Show Reports :	No
Show Progress Bar :	No

RET_Anatomy

Group Number :	1
Group Id :	593452143
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	300
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

Research_Methodology

Section Id :	593452281
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	40
Number of Questions to be attempted :	40
Section Marks :	120
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452309
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 59345215848 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On
Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is a Research Design ?

शोध अभिकल्प क्या है ?

Options :

A way of conducting research that is not grounded in theory.

1. ✘ शोध संचालन का एक तरीका, जो सिद्धांत पर आधारित न हो।

The choice between using qualitative or quantitative methods.

2. ✘ गुणात्मक या परिमाणात्मक पद्धतियों के उपयोग के मध्य चुनाव।

The style in which you present your research findings e.g. a graph.

3. ✘ वह शैली जिसमें आप अपने शोध खोजों को प्रस्तुत करते हैं; जैसे - ग्राफ।

A framework for every stage of the collection and analysis of data.

4. ✔ आँकड़ों के संकलन और विश्लेषण के प्रत्येक स्तर के लिए एक ढाँचा।

Question Number : 2 Question Id : 59345215849 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The study design of collecting data at a particular point of time is called :

किसी विशेष समय बिन्दु पर आँकड़े संग्रहण करने वाला अध्ययन अभिकल्प कहलाता है :

Options :

Cohort study

1. ✘ सहगण अध्ययन (कोहार्ट स्टडी)

Trend study

2. ✘ प्रवृत्ति अध्ययन

Cross sectional study

3. ✔ प्रतिनिध्यात्मक (समकालीन) अध्ययन

Longitudinal study

4. ✘ अनुदैर्घ्य (दीर्घकालिक) अध्ययन

Question Number : 3 Question Id : 59345215850 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of middle position in a distribution of values is called :

मूल्यों के वितरण में मध्य स्थिति का मान कहलाता है :

Options :

Mean

1. ✘ माध्य

Median

2. ✔ माध्यिका

Mode

3. ✖ बहुलक

Mid-point

4. ✖ मध्य-बिन्दु

Question Number : 4 Question Id : 59345215851 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In order to pursue research, which of the following is priorly required ?

शोध को आगे बढ़ाने के लिए, निम्नलिखित में से किसकी पहले आवश्यकता होती है ?

Options :

Develop a research design

1. ✖ शोध अभिकल्प का विकास

Formulate research questions

2. ✔ शोध प्रश्नों का निर्माण

Deciding about the data analysis procedure

3. ✖ आंकड़ा विश्लेषण प्रक्रिया के बारे में निर्णय लेना

Formulating a research hypothesis

4. ✖ शोध परिकल्पना का निर्माण करना

Question Number : 5 Question Id : 59345215852 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a basis of the quality of a research journal ?

निम्नलिखित में से किसी शोध पत्रिका की गुणवत्ता का आधार कौन है ?

Options :

Impact factor

1. ✓ प्रभाव गुण

h-index

2. ✘ एच-इंडेक्स

g-index

3. ✘ जी-इंडेक्स

i10-index

4. ✘ i10-इंडेक्स

Question Number : 6 Question Id : 59345215853 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If the population is heterogeneous, which one of the following probability sampling methods will be suitable ?

यदि जनसंख्या विजातीय है, तो निम्नलिखित में से कौन-सी सम्भाव्यता प्रतिदर्श विधि अधिक उपयुक्त होगी ?

Options :

- 1. ✘ Sequential sampling
क्रमानुसार प्रतिचयन
- 2. ✘ Quota sampling
कोटा प्रतिचयन
- 3. ✘ Double sampling
दोहरा प्रतिचयन
- 4. ✔ Stratified sampling
स्तरीकृत प्रतिचयन

Question Number : 7 Question Id : 59345215854 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Manipulation is a part of :

प्रहस्तन का एक हिस्सा है।

Options :

- 1. ✘ Historical research
ऐतिहासिक शोध

- Fundamental research
2. ✘ मौलिक शोध
- Descriptive research
3. ✘ वर्णनात्मक शोध
- Experimental research
4. ✔ प्रायोगिक शोध

Question Number : 8 Question Id : 59345215855 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

p-value stands for :

पी-मूल्य से तात्पर्य है :

Options :

- Probability value
1. ✔ सम्भाव्य मूल्य
- Preference value
2. ✘ वरीयता मूल्य
- Pre-determined value
3. ✘ पूर्व-निर्धारित मूल्य

Prescribed value

4. ✖ नियत मूल्य

Question Number : 9 Question Id : 59345215856 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

R^2 is known as the :

R^2 को के रूप में जाना जाता है।

Options :

Coefficient of determination

1. ✔ निर्धारण का गुणांक

Multiple correlation coefficient

2. ✖ बहु-सहसम्बन्ध गुणांक

Partial correlation coefficient

3. ✖ आंशिक सहसम्बन्ध गुणांक

Semi-partial correlation coefficient

4. ✖ अर्ध-आंशिक सहसम्बन्ध गुणांक

Question Number : 10 Question Id : 59345215857 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rejection of null hypothesis, when it is true, leads to :

शून्य परिकल्पना अस्वीकृत हो जाये जबकि यह सत्य है को इंगित करती है।

Options :

Sampling Error

1. ✖ प्रतिचयन त्रुटि

Type II Error

2. ✖ टाइप II त्रुटि

Type I Error

3. ✔ टाइप I त्रुटि

Estimation Error

4. ✖ अनुमान त्रुटि

Question Number : 11 Question Id : 59345215858 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is first stage in Grounded Theory data analysis :

निम्नलिखित में से ग्राउंडेड थ्योरी के आँकड़ा विश्लेषण का प्रथम चरण कौन-सा होता है ?

Options :

Examination

1. ✘ परीक्षण

Open coding

2. ✔ खुली कूट संकेतन

Retardation

3. ✘ अवरोध

Comparison

4. ✘ तुलना

Question Number : 12 Question Id : 59345215859 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The area of the rejection region for a two-tailed test in comparison with area of the one-tailed test for the same level of significance will be :

सार्थकता के समान स्तर के लिए एक-पुच्छीय परीक्षण के अस्वीकृति क्षेत्र की तुलना में द्वि-पुच्छीय परीक्षण का क्षेत्र :

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Options :

Smaller

1. छोटा होगा

- Same
2. समान होगा
- Larger
3. बड़ा होगा
- One-fourth
4. एक चौथाई होगा

Question Number : 13 Question Id : 59345215860 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Basic research is :

मौलिक शोध होता है :

Options :

- Practical and descriptive
1. ✖ व्यावहारिक और वर्णनात्मक
- Client-driven
2. ✖ ग्राहक-प्रेरित
- Expands current knowledge
3. ✔ वर्तमान ज्ञान का विस्तार करने वाला
- Advancement of technology
4. ✖ प्रौद्योगिकी में उन्नति लाने वाला

Question Number : 14 Question Id : 59345215861 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The technique in which an individual is presented with a stimulus and asked to respond with the first thing that comes to mind is known as :

वह तकनीक जिसमें व्यक्ति के सामने एक उत्तेजना प्रस्तुत की जाती है और पहली बात जो दिमाग में आती है, उसका जवाब देने के लिए कहा जाता है, को जाना जाता है :

Options :

Completion techniques

1. ✘ पूर्ति तकनीक

Focus groups

2. ✘ केंद्रित समूह

Association techniques

3. ✔ साहचर्य तकनीक

In depth interviews

4. ✘ गहन साक्षात्कार

Question Number : 15 Question Id : 59345215862 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An Independent variable is defined as :

एक स्वतंत्र चर को परिभाषित किया जाता है :

Options :

- Change variable
- 1. ✓ परिवर्तनशील चर
- Confounding variable
- 2. ✘ भ्रमित चर
- Extraneous variable
- 3. ✘ वाह्य चर
- Outcome variable
- 4. ✘ परिणाम चर

Question Number : 16 Question Id : 59345215863 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following statements is *false* for Research ?

निम्नलिखित में से कौन-सा कथन अनुसंधान के लिए *गलत* है ?

Options :

- Research design is a logical and systematic plan for a research study
- 1. ✘ अनुसंधान अभिकल्प शोध अध्ययन के लिए एक तार्किक और व्यवस्थित योजना है

Applied research is conducted to solve theoretical problems

2. ✓ सैद्धान्तिक समस्याओं को हल करने के लिए व्यावहारिक अनुसंधान किया जाता है

The basic research is also called as fundamental research

3. ✘ मूल शोध को मौलिक शोध भी कहा जाता है

A hypothesis is a statement that is tested for its validity

4. ✘ परिकल्पना एक कथन है जिसकी वैधता का परीक्षण किया जाता है

Question Number : 17 Question Id : 59345215864 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher has administered some drug for management of diabetes for 4 weeks in a group and measured pre and post data for blood glucose level. Which statistical tool will be used to analyze data ?

एक शोधकर्ता ने एक समूह में 4 सप्ताह के लिए मधुमेह के प्रबंधन के लिए कुछ दवा दी है और रक्त शर्करा के पूर्व और बाद के स्तरों का मापन किया। प्राप्त आँकड़ों के विश्लेषण के लिए किस सांख्यिकीय विधि का उपयोग किया जाएगा ?

Options :

Paired 't' test

1. ✓ युग्मित टी-परीक्षण

Independent t-test

2. ✘ स्वतंत्र टी-परीक्षण

ANOVA test

3. ✖ एनोवा परीक्षण

Chi-square test

4. ✖ काई-वर्ग परीक्षण

Question Number : 18 Question Id : 59345215865 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a qualitative variable ?

निम्न में से कौन एक गुणात्मक चर है ?

Options :

Colour of hair

1. ✔ बालों का रंग

Body weight

2. ✖ शारीरिक भार

Body height

3. ✖ शारीरिक ऊँचाई

Percentage of haemoglobin

4. ✖ हीमोग्लोबिन का प्रतिशत

Question Number : 19 Question Id : 59345215866 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher should consider which of the following to prepare good research proposal ?

एक शोधकर्ता को अच्छा शोध प्रस्ताव तैयार करने के लिए निम्नलिखित में से किस पर विचार करना चाहिए ?

- (a) Research question should be novel
शोध प्रश्न नवीन होना चाहिए
- (b) Research protocol should be ethical and relevant
अनुसंधान प्रोटोकॉल नैतिक और प्रासंगिक होना चाहिए
- (c) Research question should be interesting and feasible
शोध प्रश्न दिलचस्प और व्यवहार्य होना चाहिए
- (d) Researcher should consider only his/her own interest and benefit
शोधकर्ता को केवल अपनी स्वयं की रुचि एवम लाभ पर विचार करना चाहिए

Options :

- a & d are correct
- 1. ✘ a और d सही हैं
- c & d are incorrect
- 2. ✘ c और d गलत हैं
- a, c & d are correct
- 3. ✘ a, c और d सही हैं

a, b & c are correct

4. ✓ a, b और c सही हैं

Question Number : 20 Question Id : 59345215867 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Why reviewing the existing literature is needed ?

मौजूदा साहित्य की समीक्षा करने की आवश्यकता क्यों है ?

Options :

It does not provide references

1. ✘ यह संदर्भों को प्रदान नहीं करता

It does not provide required word-count

2. ✘ आवश्यक शब्द-गणना नहीं देता

To find out what is already known about area of interest

3. ✓ यह जानने के लिए कि रुचि के क्षेत्र के बारे में पहले से क्या ज्ञात है

To help in non-related disciplines

4. ✘ असम्बन्धित विषयों में सहयोग करने के लिए

Question Number : 21 Question Id : 59345215868 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one is called non-probability sampling ?

किसे असंभाव्यता प्रतिचयन कहा जाता है ?

Options :

Quota sampling

1. ✓ कोटा प्रतिचयन

Cluster sampling

2. ✘ गुच्छ प्रतिचयन

Systematic sampling

3. ✘ व्यवस्थित प्रतिचयन

Stratified random sampling

4. ✘ स्तरीकृत यादृच्छिक प्रतिचयन

Question Number : 22 Question Id : 59345215869 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Random error can be effectively handled by :

यादृच्छिक त्रुटि को द्वारा प्रभावी ढंग से नियंत्रित किया जा सकता है ।

Options :

Adequate sample size

1. ✓ उपयुक्त नमूना आकार

Randomisation

2. ✖ यादृच्छीकरण

Blinding

3. ✖ अंधकरण

Representativeness

4. ✖ प्रतिनिधित्व

Question Number : 23 Question Id : 59345215870 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The *correct* definition of h index is :

एच-इंडेक्स की *सही* परिभाषा है :

Options :

Largest number h such that h publications have at least h citations

1. ✔ सबसे बड़ी संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Lowest number h such that h publications have at least h citations

2. ✖ सबसे कम संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Total number of citations divided by the total number of publications

3. ✖ उद्धरणों की कुल संख्या को प्रकाशन की कुल संख्या से विभाजित करने पर

Another name for impact factor

4. ✘ प्रभाव कारक का दूसरा नाम

Question Number : 24 Question Id : 59345215871 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is *not* a reference management tool ?

निम्नलिखित में से कौन संदर्भ प्रबंधन उपकरण *नहीं* है ?

Options :

EndNote

1. ✘ एण्डनोट

Zotero

2. ✘ ज़ोटेरो

Mendeley

3. ✘ मेंडले

Scopus

4. ✔ स्कोपस

Question Number : 25 Question Id : 59345215872 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean, Median and Mode are :
माध्य, माध्यिका और बहुलक हैं :

Options :

Measures of dispersion

1. ✘ प्रसरण का मापन

Measures of central tendency

2. ✔ केंद्रीय प्रवृत्ति का मापन

Measures of probability

3. ✘ संभाव्यता का मापन

Sampling methods

4. ✘ प्रतिचयन विधि

Question Number : 26 Question Id : 59345215873 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the appropriate measure of dispersion to report when median is reported as the measure of central tendency for a given set of data ?

रिपोर्ट करने के लिए विचलन का उपयुक्त उपाय क्या है जब माध्यिका को आँकड़ों के एक समूह के लिए केंद्रीय प्रवृत्ति के मापन के रूप में प्रयुक्त किया जाता है ?

Options :

Standard deviation

1. ✘ मानक विचलन

Interquartile range

2. ✓ अंतश्चतुर्थक विस्तार

Variance

3. ✗ विचरण

Coefficient of variance

4. ✗ विचरण का गुणांक

Question Number : 27 Question Id : 59345215874 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Open ended group discussion that promotes discussion among participants is called

विवृतांग (ओपन एंडेड ग्रुप) चर्चा जो प्रतिभागियों के बीच परिचर्चा को बढ़ावा देते हैं, कहलाते हैं

Options :

In-depth discussion

1. ✗ गहन चर्चा

Focus group discussions

2. ✓ फोकस ग्रुप चर्चा

Participant observation

3. ✖ प्रतिभागी अवलोकन

Structured interviews

4. ✖ संरचित साक्षात्कार

Question Number : 28 Question Id : 59345215875 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The ability of a tool to correctly measure what it is supposed to measure is called as :

किसी उपकरण/साधन की 'जिस उद्देश्य के मापन के लिए प्रयोग हो रहा है उसे सही-सही मापने की क्षमता' कहलाती है :

Options :

Validity

1. ✔ वैधता

Reliability

2. ✖ विश्वसनीयता

Consistency

3. ✖ संगति

Accuracy

4. ✖ सटीकता

Question Number : 29 Question Id : 59345215876 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In an experimental study of the effects of time spent on studying on grade, time spent studying would be the :

ग्रेड पर अध्ययन में व्यतीत समय के प्रभावों के एक प्रायोगिक अध्ययन में, अध्ययन में बिताया गया समय होगा :

Options :

- Control group
- 1. ✘ नियंत्रण समूह
- Independent variable
- 2. ✔ स्वतंत्र चर
- Experimental group
- 3. ✘ प्रायोगिक समूह
- Dependent variable
- 4. ✘ आश्रित चर

Question Number : 30 Question Id : 59345215877 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A reasoning where we start with certain particular statements and conclude with a universal statement is called :

एक तर्क जहाँ हम कुछ विशिष्ट कथनों से शुरू करते हैं और एक सार्वभौमिक कथन के साथ निष्कर्ष निकालते हैं, कहलाता है :

Options :

Deductive Reasoning

1. ✖ निगमनात्मक तर्क

Inductive Reasoning

2. ✔ आगमनात्मक तर्क

Abnormal Reasoning

3. ✖ असामान्य तर्क

Transcendental Reasoning

4. ✖ प्राशनुभविक तर्क

Question Number : 31 Question Id : 59345215878 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a distribution is described as platykurtic, then it is :

यदि किसी वितरण को प्लेटिक्यूरटिक (सपाटक कुर्दी) के रूप में वर्णित किया जाता है, तो वह है :

Options :

Peaked

1. ✖ चोटीदार

- Flat
2. ✓ सपाट
- Bimodal
3. ✘ द्विबाहुलकी
- Thin
4. ✘ पतला

Question Number : 32 Question Id : 59345215879 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In a statistical table the row headings are referred to as :

एक सांख्यिकीय तालिका में, पंक्ति शीर्षकों को कहा जाता है :

Options :

- Source note
1. ✘ स्रोत नोट
- Captions
2. ✘ कैप्शन (अनुशीर्षक)
- Stubs
3. ✓ स्टब्स (टूठ)

Body

4. ✖ शरीर

Question Number : 33 Question Id : 59345215880 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following techniques are used to control extraneous variables in research ?

अनुसंधान में बाह्य चरों को नियंत्रित करने के लिए निम्नलिखित में से किस तकनीक का उपयोग किया जाता है ?

Options :

Change of instrument

1. ✖ साधन का परिवर्तन

Randomization

2. ✔ यादृच्छीकरण

Change the research method

3. ✖ अनुसंधान विधियों में परिवर्तन

Parameterization

4. ✖ पैरामीट्रिजेशन (प्राचलीकरण)

Question Number : 34 Question Id : 59345215881 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is the information and library network under UGC ?

यूजीसी के तहत निम्नलिखित में से कौन-सा सूचना और पुस्तकालय नेटवर्क है ?

Options :

INFLIBNET

1. ✓ इनफिलिबनेट

NISCAIR

2. ✗ निस्केयर

Association of Indian Universities

3. ✗ भारतीय विश्वविद्यालयों का संघ

NAAC

4. ✗ नैक

Question Number : 35 Question Id : 59345215882 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A research tool consisting of a series of questions is known as :

प्रश्नों की एक शृंखला से युक्त एक शोध उपकरण को कहा जाता है :

Options :

Observation schedule

1. ✗ अवलोकन अनुसूची

Interview schedule

2. ✘ साक्षात्कार अनुसूची

Questionnaire

3. ✔ प्रश्नावली

Psychological test

4. ✘ मनोवैज्ञानिक परीक्षण

Question Number : 36 Question Id : 59345215883 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What does a good thesis involve ?

एक अच्छी थीसिस में क्या सम्मिलित होता है ?

- (a) Reducing punctuations as well as grammatical errors to minimal level.
विराम-चिन्हों तथा व्याकरण अशुद्धियों को अल्पतम स्तर तक कम करना।
- (b) Correct reference citation.
समुचित सन्दर्भ उद्धरण।
- (c) Consistency in the way of thesis writing.
थीसिस लेखन के तरीके में सुसंगति।
- (d) All of the three
तीनों में सभी

Choose the *correct* answer from the codes given below :

नीचे दिये गये कूट में से *सही* उत्तर चुनें :

Codes :

कूट :

Options :

a, b, c and d

1. ✓ a, b, c तथा d

a, c and d

2. ✗ a, c तथा d

a, b and c

3. ✓ a, b तथा c

c, b and d

4. ✘ c, b तथा d

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 37 Question Id : 59345215884 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The difference between the expected value of a sample statistic and the estimated value of parameter is called :

नमूना आंकड़ों के अपेक्षित मूल्य और प्राचल के अनुमानित मूल्य के बीच के अन्तर को कहा जाता है :

Options :

Error

1. ✘ त्रुटि

Bias

2. ✔ पूर्वाग्रह

Contradiction

3. ✘ विरोधाभास

Difference

4. ✘ अंतर

Question Number : 38 Question Id : 59345215885 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Among the following, widely used method for extracting factors is :

निम्नलिखित में से, कारकों को निकालने के लिए व्यापक रूप से इस्तेमाल की जाने वाली विधि है :

Options :

Path analysis

1. ✘ पथ विश्लेषण

Discriminant analysis

2. ✘ विभेदक विश्लेषण

Group analysis

3. ✘ समूह विश्लेषण

Principle component analysis

4. ✔ प्रमुख-घटक विश्लेषण


Question Number : 39 Question Id : 59345215886 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the price difference between commodity A and B in the month of April ?

अप्रैल के महीने में सामग्री A और B के बीच मूल्य का अन्तर क्या था ?

Options :

1. ✘ 250
2. ✔ 150
3. ✘ 100
4. ✘ 90


Question Number : 40 Question Id : 59345215887 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the difference in average price between commodity A and B from April to August ?

अप्रैल से अगस्त तक सामग्री A और B के औसत मूल्य में कितना अन्तर था ?

Options :

1. ✘ 90

2. ✘ 86

3. ✘ 95

4. ✔ 75

Subject_&_Area Concerned

Section Id :	593452282
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	60
Number of Questions to be attempted :	60
Section Marks :	180
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452310
Question Shuffling Allowed :	Yes

Question Number : 41 Question Id : 59345215888 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Clavipectoral fascia is pierced by all except :

Options :

1. ✘ Thoracoacromial artery
2. ✔ Medial pectoral nerve
3. ✘ Lateral pectoral nerve
4. ✘ Cephalic Vein

Question Number : 42 Question Id : 59345215889 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Wrist drop is associated with injury to :

Options :

1. ✘ Ulnar Nerve
2. ✘ Median Nerve
3. ✔ Radial Nerve
4. ✘ Axillary Nerve

Question Number : 43 Question Id : 59345215890 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Spinal Accessory nerve innervates :

Options :

1. ✔ Sternocleidomastoid
2. ✘ Stylohyoid
3. ✘ Sternothyroid

4. ✖ Thyrohyoid

Question Number : 44 Question Id : 59345215891 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An infection in Dangerous area of Face leads to :

Options :

1. ✖ Sigmoid sinus thrombosis
2. ✖ Transverse sinus thrombosis
3. ✖ Superior sagittal sinus thrombosis
4. ✔ Cavernous sinus thrombosis

Question Number : 45 Question Id : 59345215892 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All are parts of Basal ganglia except :

Options :

1. ✖ Caudate nucleus

2. ✓ Thalamus

3. ✘ Globus pallidus

4. ✘ Putamen

Question Number : 46 Question Id : 59345215893 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All are examples of saddle joints except :

Options :

1. ✘ Sternoclavicular joint

2. ✘ 1st carpometacarpal joint

3. ✘ Incudomalleolar joint

4. ✓ Incudostapedial joint

Question Number : 47 Question Id : 59345215894 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Myelin sheath of peripheral nerves is produced by :

Options :

1. ✘ Microglia
2. ✘ Astrocytes
3. ✘ Oligodendrocytes
4. ✔ Schwann Cells

Question Number : 48 Question Id : 59345215895 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an example of Pressure epiphysis ?

Options :

1. ✔ Head of femur
2. ✘ Trochanters of femur
3. ✘ Lateral tubercle of talus
4. ✘ Coracoid process

Question Number : 49 Question Id : 59345215896 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All are the features of skeletal muscle except :

Options :

1. ✘ Peripheral nuclei
2. ✔ Branched fibres
3. ✘ Transverse striations
4. ✘ Numerous mitochondria

Question Number : 50 Question Id : 59345215897 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Lingual nerve is a branch of :

Options :

1. ✔ Mandibular nerve
2. ✘ Hypoglossal nerve
3. ✘ Glossopharyngeal
4. ✘ Alveolar nerve

Question Number : 51 Question Id : 59345215898 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Embryonic period extends from :

Options :

1. ✘ 2nd to 6th week Intra Uterine Life
2. ✘ 3rd to 6th week of Intra Uterine Life
3. ✘ 1st 12th week of Intra Uterine Life
4. ✔ 3rd to 8th week of Intra Uterine Life

Question Number : 52 Question Id : 59345215899 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Somites are formed from :

Options :

1. ✘ Plate mesoderm
2. ✘ Intermediate mesoderm
3. ✔ Paraxial mesoderm

4. ✖ Extraembryonic mesoderm

Question Number : 53 Question Id : 59345215900 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a content of quadrangular space ?

Options :

1. ✖ Radial nerve
2. ✖ Dorsal scapular
3. ✔ Axillary nerve
4. ✖ Musculocutaneous Nerve

Question Number : 54 Question Id : 59345215901 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Taste sensations from tongue are carried by all nerves except :

Options :

1. ✖ IX

2. ✓ XI

3. ✘ X

4. ✘ VII

Question Number : 55 Question Id : 59345215902 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Vascularised chorionic villi are named :

Options :

1. ✘ Primary

2. ✘ Secondary

3. ✓ Tertiary

4. ✘ Primordial

Question Number : 56 Question Id : 59345215903 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an example of simple columnar epithelium ?

Options :

1. ✘ Follicles of thyroid gland
2. ✔ Mucosa of stomach
3. ✘ Germinal epithelium of ovary
4. ✘ Pigment cell layer of retina

Question Number : 57 Question Id : 59345215904 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which nucleus is associated with ciliary ganglion ?

Options :

1. ✘ Lacrimatory Nucleus
2. ✘ Superior salivatory Nucleus
3. ✘ Inferior salivatory Nucleus
4. ✔ Edinger-Westphal Nucleus

Question Number : 58 Question Id : 59345215905 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Safety Muscle of the Larynx is :

Options :

1. ✓ Posterior cricoarytenoid
2. ✘ Lateral cricoarytenoid
3. ✘ Oblique arytenoids
4. ✘ Transverse arytenoid

Question Number : 59 Question Id : 59345215906 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following muscles has dual nerve supply ?

Options :

1. ✘ Flexor pollicis longus
2. ✘ Flexor digitorum superficialis
3. ✓ Flexor digitorum profundus
4. ✘ Pronator Quadratus

Question Number : 60 Question Id : 59345215907 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Primary Motor Area is situated in :

Options :

1. ✓ Precentral gyrus
2. ✗ Post central gyrus
3. ✗ Superior frontal gyrus
4. ✗ Inferior frontal gyrus

Question Number : 61 Question Id : 59345215908 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Nasolacrimal duct opens into :

Options :

1. ✓ Anterior part of inferior meatus
2. ✗ Vestibule of nose
3. ✗ Middle meatus

4. ✖ Superior meatus

Question Number : 62 Question Id : 59345215909 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

MYOLOHYOID nerve is a branch of :

Options :

1. ✖ Facial nerve
2. ✖ Glossopharyngeal nerve
3. ✔ Mandibular nerve
4. ✖ Hypoglossal nerve

Question Number : 63 Question Id : 59345215910 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In the sub occipital triangle, which artery is present ?

Options :

1. ✔ Vertebral

2. ✘ Facial
3. ✘ Internal carotid
4. ✘ Ophthalmic artery

Question Number : 64 Question Id : 59345215911 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Muscle of larynx supplied by External laryngeal Nerve :

Options :

1. ✘ Lateral cricoarytenoid
2. ✘ Posterior cricoary tenoid
3. ✔ Cricothyroid
4. ✘ Aryepiglotticus

Question Number : 65 Question Id : 59345215912 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tonsillitis pain is referred to pain in ear as both are supplied by :

Options :

1. ✘ Auricular branch of vagus
2. ✔ Glossopharyngeal
3. ✘ Sympathetic fibres
4. ✘ Cranial root of accessory nerve

Question Number : 66 Question Id : 59345215913 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which air sinus is most commonly infected ?

Options :

1. ✘ Ethmoidal
2. ✘ Frontal
3. ✔ Maxillary
4. ✘ Sphenoidal

Question Number : 67 Question Id : 59345215914 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In adult male length of auditory tube in mm :

Options :

1. ✘ 36

2. ✘ 16

3. ✔ 26

4. ✘ 46

Question Number : 68 Question Id : 59345215915 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of following is known as safety muscle of tounge ?

Options :

1. ✔ Genioglossus

2. ✘ Hyoglossus

3. ✘ Palatoglossus

4. ✘ Styloglossus

Question Number : 69 Question Id : 59345215916 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which structure does not receive supply from the oculomotor nerve ?

Options :

1. ✘ Medial rectus
2. ✘ Levator palpebrae superioris
3. ✘ Inferior oblique
4. ✔ Lateral rectus

Question Number : 70 Question Id : 59345215917 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following pairs do not match with regard to mode to mode of ossification ?

Options :

1. ✘ Ribs and cranium
2. ✔ Clavicle and humerus
3. ✘ Femur and 1st metatarsal

4. ✖ Patella and pisiform

Question Number : 71 Question Id : 59345215918 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The brain stem does not include the :

Options :

1. ✓ Diencephalon
2. ✖ Midbrain
3. ✖ Medulla oblongata
4. ✖ Pons

Question Number : 72 Question Id : 59345215919 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The dorsal interossei of the hand :

Options :

1. ✖ Adduct the fingers

2. ✓ Flex the metacarpophalangeal joints
3. ✘ Are supplied by the radial nerve
4. ✘ Arise from the tendons of flexor digitorum profundus

Question Number : 73 Question Id : 59345215920 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of following nerves leads to wrist drop ?

Options :

1. ✘ Ulnar
2. ✓ Radial
3. ✘ Median
4. ✘ Axillary

Question Number : 74 Question Id : 59345215921 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Lateral boundary of cubital fossa is formed by which muscle ?

Options :

1. ✘ Biceps brachii
2. ✔ Brachioradialis
3. ✘ Brachialis
4. ✘ Extensor carpi

Question Number : 75 Question Id : 59345215922 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rotator cuff is formed by all, except :

Options :

1. ✘ Supraspinatus
2. ✘ Infraspinatus
3. ✔ Teres major
4. ✘ Subscapularis

Question Number : 76 Question Id : 59345215923 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following bones is the first one to start ossification ?

Options :

1. ✘ Ulna
2. ✘ Scapula
3. ✔ Clavicle
4. ✘ Humerus

Question Number : 77 Question Id : 59345215924 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Intervertebral foramen contains all of the following except :

Options :

1. ✘ End of nerve root send
2. ✘ Nerve trunk
3. ✔ Sympathetic ganglion
4. ✘ Spinal artery

Question Number : 78 Question Id : 59345215925 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Sub arachnoid space extends till :

Options :

1. ✘ S1 vertebra
2. ✔ S2 vertebra
3. ✘ L1 vertebral
4. ✘ L3 vertebra

Question Number : 79 Question Id : 59345215926 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Arachnoid villi drains into which of following sinuses ?

Options :

1. ✘ Transverse
2. ✘ Straight
3. ✔ Superior saggital

4. ✘ Sigmoid

Question Number : 80 Question Id : 59345215927 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Regarding lymph nodes, thumb is drained initially to the :

Options :

1. ✘ Supratrochlear nodes
2. ✘ Posterior axillary nodes
3. ✘ Infraclavicular nodes
4. ✔ Central axillary nodes

Question Number : 81 Question Id : 59345215928 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Muscles attached to greater tubercle of humerus are all except :

Options :

1. ✔ Subscapularis

2. ✘ Supraspinatus
3. ✘ Infraspinatus
4. ✘ Teres minor

Question Number : 82 Question Id : 59345215929 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Posterior wall of axilla is formed by all following muscle except :

Options :

1. ✘ Teres major
2. ✔ Teres minor
3. ✘ Latissimus dorsi
4. ✘ Subscapularis

Question Number : 83 Question Id : 59345215930 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Arterial supply to mammary gland from axillary artery are from all the following branches except :

Options :

1. ✘ Lateral thoracic
2. ✘ Superior thoracic
3. ✘ Thoracoabdominal
4. ✔ Anterior circumflex humeral

Question Number : 84 Question Id : 59345215931 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Inter costobrachial nerve is lateral cutaneous branch of following nerve :

Options :

1. ✘ 1st intercostal
2. ✔ 2nd intercostal
3. ✘ 3rd intercostal
4. ✘ 4th intercostal

Question Number : 85 Question Id : 59345215932 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Root value of medial cutaneous nerve of forearm is :

Options :

1. ✘ C 5
2. ✘ C 5, 6
3. ✘ C 6, 7, 8
4. ✔ C 8, T 1

Question Number : 86 Question Id : 59345215933 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Root value of long thoracic nerve is :

Options :

1. ✘ C 5
2. ✘ C 5, 6
3. ✔ C 5, 6, 7

4. ✖ C 8, T 1

Question Number : 87 Question Id : 59345215934 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Posterior cutaneous nerve of forearm arises from :

Options :

1. ✖ Musculocutaneous Nerve

2. ✖ Axillary Nerve

3. ✔ Radial Nerve

4. ✖ Ulnar Nerve

Question Number : 88 Question Id : 59345215935 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In crutch paralysis, the nerve involved is :

Options :

1. ✔ Radial Nerve

2. ✖ Axillary Nerve

3. ✘ Ulnar Nerve

4. ✘ Median Nerve

Question Number : 89 Question Id : 59345215936 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Medial epicondyle of humerus is posteriorly related to the following nerve :

Options :

1. ✘ Median

2. ✔ Ulnar

3. ✘ Radial

4. ✘ Medial cutaneous nerve of forearm

Question Number : 90 Question Id : 59345215937 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Medial wall of axilla is formed by :

Options :

1. ✘ Upper 3 ribs with their intercostal muscle
2. ✘ Upper 4 ribs with their intercostal muscle
3. ✘ Upper 5 ribs with their intercostal muscle
4. ✔ Upper 6 ribs with their intercostal muscle

Question Number : 91 Question Id : 59345215938 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Gastric canal is due to :

Options :

1. ✘ Outer longitudinal layer
2. ✘ Middle circular layer
3. ✘ Inner oblique layer
4. ✔ Mucous membrane 5

Question Number : 92 Question Id : 59345215939 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Parenchyma of liver is derived from :

Options :

1. ✓ Endoderm
2. ✘ Ectoderm
3. ✘ Mesoderm
4. ✘ Septum transversum

Question Number : 93 Question Id : 59345215940 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Medulla of suprarenal gland is derived from :

Options :

1. ✓ Neural crest cells
2. ✘ Intermediate mesoderm
3. ✘ Splanchnopleuric mesoderm
4. ✘ Somatopleuric mesoderm

Question Number : 94 Question Id : 59345215941 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The nerve passing along with the inferior vena cava in the central tendon of diaphragm is :

Options :

1. ✘ Right Vagus
2. ✘ Left Vagus
3. ✔ Right Phrenic
4. ✘ Left Phrenic

Question Number : 95 Question Id : 59345215942 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Inter-vertebral joint is an example of :

Options :

1. ✘ Synostosis
2. ✘ Synchondrosis
3. ✘ Syndesmosis

4. ✓ Symphysis

Question Number : 96 Question Id : 59345215943 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The superficial inguinal lymph nodes drain from all except :

Options :

1. ✓ Glans penis
2. ✘ Vagina below hymen
3. ✘ Anal canal below pectinate line
4. ✘ Perineum

Question Number : 97 Question Id : 59345215944 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Body of pancreas is derived from :

Options :

1. ✘ Hepatic bud

2. ✘ Ventral pancreatic bud

3. ✔ Dorsal pancreatic bud

4. ✘ Meso gastrium

Question Number : 98 Question Id : 59345215945 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Stave cells are found in :

Options :

1. ✘ Liver

2. ✘ Kidney

3. ✔ Spleen

4. ✘ Stomach

Question Number : 99 Question Id : 59345215946 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is not a tributary of portal vein ?

Options :

1. ✘ Left gastric vein
2. ✘ Splenic vein
3. ✘ Cystic vein
4. ✔ Middle rectal vein

Question Number : 100 Question Id : 59345215947 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a feature of small intestine ?

Options :

1. ✘ Taenia coli
2. ✘ Sacculation
3. ✘ Appendices epiploicae
4. ✔ Villi